

Name of Power station/Complex:- Chamera - III Power Station Dharwala,Distt Chamba (H.P)

Detail of Consultants engaged/ work/ Purchases awarded on Nomination Basis Report (April -June 2025)

Sl.No.	Order No. & date	Description of work	Mode of Tendering	Name of Supplier/ Contractor	Awarded Amount (INR)	Details circumstances for going for singh tender (CVC circular Dtd 05.07.2005)	Justification for award of contract on single tender	Information Regarding Posting of Details on Award of tender/Contracts on website (CVC Circular Dtd 14.07.2009)	Sub contract No/ PO No.
1	NH/CH-III/PH-E&M/DGM(E)/2024-25/575 Dated: 14/04/2025	Repair of 01 Secondary Cooling Water System Motor, Make Crompton Greaves Ltd., installed at Power House, Chamera-III Power Station, Dharwala.	Work Order	M/s Guru Nanak Dev Engineering Works, Jalandhar	73,043 /-	As per Vigilance Circular No. 06/2012-13 dated 31.12.2012 regarding award of contracts on nomination basis under exceptional circumstances, the contract can be awarded "where the supplier has exclusive rights in respect of the goods or services and no reasonable alternative or substitute exists", which is applicable in the present case also.	At Chamera-III Power Station, a Secondary Cooling Water (CW) System motor, installed in 2012, developed a phase winding short circuit due to prolonged exposure to a humid environment. It was temporarily replaced with a repaired in-house spare to avoid generation or PAF loss, as the CW system comprises 11 critical pump-motor sets. To maintain system reliability, the faulty motor is proposed to be repaired by the OEM, M/s Crompton Greaves Ltd., or its authorized workshop. A budgetary proposal was obtained, and a repair order was issued following approval from the competent authority.	Complied	117/002247
2	NH/CH-III/E&M/DGM(E)/2025-26/580 Dated 17/04/2025	Requirement of Service Engineer to identify the cause and troubleshoot the problem regarding abnormal sound during operation of 725 kVA DG Set installed at Power House, Chamera-III Power Station.	Work Order	M/s. Gainwell Commosales Pvt. Ltd., Ludhiana-141003, Punjab	20,060 /-	As per Vigilance Circular No. 06/2012-13 dated 31.12.2012 regarding award of contracts on nomination basis under exceptional circumstances, the contract can be awarded "where the supplier has exclusive rights in respect of the goods or services and no reasonable alternative or substitute exists", which is applicable in the present case also.	At Chamera-III Power House, both 725 kVA Caterpillar DG Sets—critical for auxiliary power during 11 kV failures and plant start-up—are facing issues. DG Set No. 1 is non-functional, while DG Set No. 2 is producing abnormal noise, indicating potential damage. The matter has been discussed with the OEM's authorized dealer, M/s Gainwell Commosales, and urgent deployment of a service engineer is required to diagnose and restore reliable operation.	Complied	117/002235
3	No. NH/CPS-III/PH-E&M/DGM(E)/2025-26/586 Dated 29/04/2025	Environmental condition monitoring of various DG sets at Chamera-III Power Station, Noise monitoring, Illumination monitoring at various floors.	Work Order	M/s Envirochem Testing Lab & Research Centre, Panipat (HR) - 132103.	45,371 /-	As per Vigilance Circular No. 06/2012-13 dated 31.12.2012 regarding award of contracts on nomination basis under exceptional circumstances, the contract can be awarded "where the supplier has exclusive rights in respect of the goods or services and no reasonable alternative or substitute exists", which is applicable in the present case also.	Chamera-III Power Station has been commercially operational since July 2012, with 11 DG sets installed across various locations to ensure backup power in case of HPSEB supply failure. As an IMS-certified station, it must regularly monitor environmental parameters such as emissions, noise levels, and illumination across floors to comply with statutory requirements. These environmental reports are also submitted to BRSR and the Pollution Control Board.	Complied	117/002251
4	No. NH/CPS-III/PH-E&M/DGM(E)/2025-26/565 Dated 03/04/2025	Testing of GSU Transformer Oil Samples- Chamera-III Power Station, Dharwala.	Work Order	M/s PGCIL, RTL (NR-II), Jalandhar	2,56,650 /-	As per Vigilance Circular No. 06/2012-13 dated 31.12.2012 regarding award of contracts on nomination basis under exceptional circumstances, the contract can be awarded "where the supplier has exclusive rights in respect of the goods or services and no reasonable alternative or substitute exists", which is applicable in the present case also.	Chamera-III Power Station (3×77 MW), operational since July 2012, has 10 GSU transformers, including one spare. Their reliability is vital for power generation, requiring regular testing of transformer oil and related parameters. As per O&M guidelines, periodic testing is recommended. The PGCIL Regional Testing Laboratory (RTL) in Jalandhar—previously used by Chamera-III and other NHPC stations—is suggested for conducting DGA and other tests on the main and cable box tanks of the GSU transformers.	Complied	117/002235
5	NH/CH-III/PH-E&M/DGM(E)/2025-26/589 Dated: 01/05/2026	supply and installation of 2 special energy meters along with necessary items for 220KV Lines at Chamera-III Power Station, Dharwala,	Work Order	M/s Power Grid Corporation of India Ltd, Regional Test Laboratory (NR-II), Jalandhar	1,52,682/-	As per Vigilance Circular No. 06/2012-13 dated 31.12.2012 regarding award of contracts on nomination basis under exceptional circumstances, the contract can be awarded "where the supplier has exclusive rights in respect of the goods or services and no reasonable alternative or substitute exists", which is applicable in the present case also.	Chamera-III Power Station (3×77 MW) uses two transmission lines to evacuate power to the Chamba pooling station, each fitted with Main and Check energy meters, and DCD meters for data collection. On 09 July 2023, tower no. 01 collapsed due to heavy rains, damaging equipment and disabling the energy meters. Though the lines were restored in April 2025, incorrect energy data was later found in the main meters. As energy data is uploaded weekly to NRLDC for billing, ensuring accurate and reliable functioning of all energy and DCD meters is critical.	Complied	-

Name of Power station/Complex:- Chamera - III Power Station Dharwala,Distt Chamba (H.P)

Detail of Consultants engaged/ work/ Purchases awarded on Nomination Basis Report (April -June 2025)

Sl.No.	Order No. & date	Description of work	Mode of Tendering	Name of Supplier/ Contractor	Awarded Amount (INR)	Details circumstances for going for singh tender (CVC circular Dtd 05.07.2005)	Justification for award of contract on single tender	Information Regarding Posting of Details on Award of tender/Contracts on website (CVC Circular Dtd 14.07.2009)	Sub contract No/ PO No.
6	No. NH/ CH-III/PH-E&M/DGM (E) /2025-26/640 Date: 13.06.2025	Routine and breakdown repair & maintenance of electrical and mechanical components of Power House including its operation of Chamera-III Power station, Dharwala.	Work Order	M/s. Ajaj Mohammad Mohalla Kasakra, Town & Distt. Chamba (H.P.) Email ID- ajajmohnd@yahoo.com /mobile no. 9816978601	9,55,735/-	As per Vigilance Circular No. 06/2012-13 dated 31.12.2012 regarding award of contracts on nomination basis under exceptional circumstances, the contract can be awarded "where the supplier has exclusive rights in respect of the goods or services and no reasonable alternative or substitute exists", which is applicable in the present case also.	Chamera-III Power Station, operational since July 2012, relies on Dharwala Power House for maintenance of turbines and generators. The current maintenance contract expires on 15.06.2025, and the new 2-year contract is under process, expected to take about 2 months for finalization. As the existing firm is unwilling to extend its contract, a 2-month spot work order is proposed to ensure uninterrupted services.	Complied	117/002253
7	NH/CPS-III/ IMS / 2025 /125 Dated 19.06.2025	Re-Certification of Integrated Management System (IMS) of Chamera-III Power Station	Work Order	M/s BIS, Chandigarh	346920.00	M/s BIS, Chandigarh is a Govt agency	Award to Govt. agency	Complied	
8	NH/CPS-III/DAM/HM/2024-25/149 Dt. 01/05/2025	Operation and Maintenance of electrical Installation at Dam site, Chamera-III Power Station	Work Order	M/s Anil Kumar, A class Govt Contractor, Village Chakra, P.O Sherpur, Distt. Chamba, H.P	826714.00	The Supplier or contractor has exclusive rights in respect of the goods or services and no reasonable alternative or substitute exists.	O&M work of critical and important electrical installation at DAM site of Chamera-III Power Station is an essential type of work. Validity of the ongoing contract is up to 30.04.2025. it is necessary to maintain continuity of the work. It may take some more time to award the new contract. Hence, the work is to be awarded on workorder.	Complied	117/002257
9	NH/CPS-III/HM/2025-26/W.O/175 dated 10.06.2025	Supply of Spares and depute the service engineer for servicing/repair/rectification of 02 nos 320KVA DG sets installed at Dam Site, Khramukh, Chamera-III Power Station	Work Order	M/s Megagen Services Private Limited, Second Floor, Building No. 1 Out Side Hall Gate, Amritsar	226183.00	The Supplier or contractor has exclusive rights in respect of the goods or services and no reasonable alternative or substitute exists.	320 KVA DG Set No. 01 installed on Dam top at khadamukh dam site suddenly stopped working due to damages happened in alternator assembly. Healthiness and workability of 320 KVA DG Set No. 01 & 02 is most essential for trouble free and smooth operation of Dam gates and other vital equipment at Dam site. Hence repair/rectification/serviceing of DG sets is urgently required.	Complied	117/002255
10	NH/CPS-III/2025-26/153 dated 05.05.2025	Regarding replacement of damaged part of seal beam of radial gate #1 installed at dam site of Chamera-III Power Station and HPC concreting around seal beam	Work Order	M/s. Ajaj Mohammad Mohalla Kasakra, Town & Distt. Chamba (H.P.)	644575.00	The Supplier or contractor has exclusive rights in respect of the goods or services and no reasonable alternative or substitute exists.	On inspection, it was observed that the seal beam of Radial Gate # 1 has been severely damaged. It is necessary to replace its damaged part (Top MS Plate and SS Plate of sill beam assembly) immediately. In case the damaged part of the seal beam is not replaced, the sealing of the radial gate will not be effective, which can lead to excessive leakage and heavy damage to power generation. Currently, an increase in the inflow of water has been recorded in the Ravi River. There is every possibility of high inflow during the month of May 2025 and there is also a possibility of monsoon starting from June 2025 and the inflow is also likely to increase further. Keeping this in mind, all repair works related to Radial Gate # 1 are required to be executed before the onset of monsoon.	Complied	117/002258
11	NH/CPS-III/2025-26/166, dated 22.05.2025	Server subscription for e-flow data measurement system on annual basis, annual maintenance contract for making suitable changes in the program of ARMAC system for online monitoring of the quantity of water released from the dam and its maintenance	Work Order	M/s R X Automation, Lukhnow	253523.00	The Supplier or contractor has exclusive rights in respect of the goods or services and no reasonable alternative or substitute exists.	To continue power generation from Chamera-III Power Station, it is a mandatory condition to display the data on the website of HP Pollution Control Board for granting consent to operate by the Pollution Control Department of the State Government. Besides this, as per the instructions given by Directorate of Energy, Govt of HP for Chamera-III Power Station, it is essential to make such arrangements as soon as possible so that the total amount of water being released from the dam can be displayed at all times at Integrated Command and Command Centre, Shimla. It is essential to subscribe to the server for e-flow data measurement system on an annual basis, make appropriate changes in the program of ARMAC system for online monitoring of the amount of water being released from the dam and award the annual maintenance contract for its maintenance as soon as possible.	Complied	117/002256

Name of Power station/Complex:- Chamera - III Power Station Dharwala,Distt Chamba (H.P)

Detail of Consultants engaged/ work/ Purchases awarded on Nomination Basis Report (April -June 2025)

Sl.No.	Order No. & date	Description of work	Mode of Tendering	Name of Supplier/ Contractor	Awarded Amount (INR)	Details circumstances for going for singh tender (CVC circular Dtd 05.07.2005)	Justification for award of contract on single tender	Information Regarding Posting of Details on Award of tender/Contracts on website (CVC Circular Dtd 14.07.2009)	Sub contract No/ PO No.
12	NH/CPS-3/DGM/2025-26/13 Dated 11.04.2025	Repair of damaged concrete work in bottom portion of seal beam of spillway stoplog gate RG#01 of Chamera-III Power Station Kharamukh Dam	Work Order	M/s Ajaj Mohammad, Mohalla-Kasakara, PO Sultanpur, Distt-Chamba(HP-176310	591695.00	Other	Work for Dam safety	Complied	117/002231
13	NH/CPS-3/DGM/2025-26/33 Dated 05.06.2025	Writing work of sign boards/slogans etc. at CPS-III with new logo/symbol at main entrance located at Power Station Kariyan Colony and around administrative building and up to park.	Work Order	M/s Ranjit Singh, Mugla, Tehsil & Distt. Chamba, Himachal Pradesh-176310	132497.00	The Procurment is possible from single source only	It has been informed that the visit of Director (Finance) is scheduled from 04/04/2025 to 06/04/2025, and due to change in the logo /sign of NHPC. Due to instructions from the Corporation headquarters to get it done again according to the new logo/symbol.	Complied	117/002242
14	NH/CPS-3/DGM/2025-26/11 Dated 02.05.2025	Regarding work of PVC paneling and gypsum board ceiling in Project Head residence at Chamera-III Power Station, Kariyan Township.	Work Order	M/s AST Home Decore, Tissa Road, Bus Stop Sarol, Chamba, Himachal Pradesh-176310	195969.00	The Procurment is possible from single source only	There is a lot of wear and tear on the walls of the house and water leakage is visible at places, due to which salt deposits and fungus are visible at places on the wall. The proposed work needs to be done immediately to make the building liveable as per the above problems and health.	Complied	117/002237
15	NH/CPS-3/DGM/2025-26/12 Dated 03.05.2025	R&M of Non Residential Buildings & D.G. Room at Karian, Chamera-III Power Station.	Work Order	M/s Yoginder Sharma, Mohalla Charpat, Near Church Gate, Tehsil & Distt. Chamba, Himachal Pradesh -176310	311037.00	The Procurment is possible from single source only	Package anumber:GEMC-511687757547121 as per the contract agreement, the work period has ended on 30.04.2025. The tender process was still underway for awarding a new contract	Complied	117/002239
16	NH/CPS-III/ECM/2025/1 Dated 03/05/2025	Work order R&M of Electrical Installation at Karian, Dharwala, Lothal and Adit IV-V of CPS-III	Work Order	M/s Sonakshi Bultech Pvt. VPO Sirdi Bharmour Chamba	756098	Other	Tender for two year was not awarded, previous work completed on 09.05.2025 since work is urgent in nature work order issued.	Complied	117/002269
17	NH/CH-IIIPS/W&T/VO/2025/62 Dated 05.05.2025	Hiring of one no Toyota Innova HP-01C-8787	Work order	Sh. Abhisekh Kumar S/o Sh Kishori Lal	233706/-	The Supplier or contractor has exclusive rights in respect of the goods or services and no reasonable alternative or substitute exists.	At present only 20 nos inspection vehicles are available with the project against the sanctioned strength of 31 nos inspection vehicles. Tender for hiring of 15 vehicles including 03 bolero camper was in process and camper was required immediately at dams site to cater CISF shift duty (24 hrs * 7 days). Due to huge shortage of vehicles project work was suffering. No owner of vehicle was ready to deploy his vehicle for shorter period and remote places as it requires huge amount of investment for buying new vehicle and its maintenance. The hiring rates were awarded on lowest of recent tendered rates of Bolero camper.	Complied	117/002240
18	NH/CS-IIIPS/W&T/2025/2/20.06.2025	servicing and denting painting for taking the fitness from RTO Chamba of vehicle HP 73A-3328	Work Order	Sh.saini Motor Company Vill-Gholtli,PO Sarol, Chamba	17541/-	Authorized Dealer	only one Tata Agency in Chamba city for repair of tata vehicles	Complied	