



एनएचपीसी लिमिटेड
(भारत सरकार का एक नवरातन उद्यम)
NHPC Limited
(A Government of India Navratna Enterprise)



दिबांग बहुउद्देशीय परियोजना
Dibang Multipurpose Project,
Mayu Sector, PO Roing,
Dist. Lower Dibang Valley,
Arunachal Pradesh, Pin 792110
Email: pnc-dibang@nhpc.nic.in

CIN: L40101HR1975GOI032564 GSTIN: 12AAACN0149C2Z9

Ref: NH/DMP/P&C/LOA/2026/25

Date: 11.06.2026

LETTER OF ACCEPTANCE (LOA)

To
MHPL India Private Limited,
15/76, Civil lines, Kanpur Nagar,
Uttar Pradesh, 208001
e-mail: indiamhpl@gmail.com

Kind Attn: Shri Pranav Agarwal

Sub: Letter of Acceptance for “*Design, Supply, Fabrication, Installation and commissioning of 04 nos. Triple storey (G+2) Pre-Engineered Field Hostel Building at New Apali Colony, Dibang Multipurpose Project (DMPP), Arunachal Pradesh*”-Regarding

Ref: (a). NIT No.: NH/DMP/PNC/NIT/2025/13 dated 27.10.2025.

Sir,

1.0 This has reference to the following:

- (i) Online Bid invited through CPP Portal vide Notice Inviting E-Tender dated 27.10.2025 with Tender ID No. NH/DMP/PNC/NIT/2025/13 dated 27.10.2025 and Tender reference No. 2025_NHPC_883189_1 comprising the following:

Section-I	Notice Inviting E-Tenders
Section -II	Instructions to Bidders (ITB), Bidding data & IFB
Section -III	Letter of Tender Form, Qualification Information, Form of declaration
Section -IV	General Conditions of Contract and Schedules
Section -V	Forms
Section -VI	Special Conditions of Contract
Section -VII	Schedule of Quantities and Prices
Section -VIII	Technical Specifications and Safety Manual
Section-IX	Drawings

- (ii) Corrigendum/modifications to tender documents issued and published by us as under:

- Corrigendum-I dated 12.11.2025: Corrigendum for clause 3.2E of NIT

25/11/25



एन एच पी सी लिमिटेड
(भारत सरकार का एक नवरातन उद्यम)
NHPC Limited
(A Government of India Navratna Enterprise)



दिबांग बहुउद्देशीय परियोजना
Dibang Multipurpose Project,
Mayu Sector, PO Roing,
Dist. Lower Dibang Valley,
Arunachal Pradesh, Pin 792110
Email: pnc-dibang@nhpc.nic.in

CIN: L40101HR1975GOI032564 GSTIN: 12AAACN0149C2Z9

- Corrigendum-II dated 19.11.2025
 - Corrigendum-III dated 02.12.2025
- (iii) Your bid no. 3326896 dated 03.12.2025 submitted on CPP portal vide your Letter of Tender dated 01.11.2025.
- (iv) Clarification on the shortfall documents sought vide our letter no.- NH/DMP/P&C/2026/125 dated 30.01.2026 .
- (v) Your reply against our asked clarification received vide email dated 02.02.2026, 05.02.2026 & 07.02.2026
- (vi) Our letter no. NH/DMP/P&C/2026/144 dated 31.03.2026 for seeking bid validity extension.
- (vii) Your offer/confirmation of bid validity extension vide letter ref. no. MHPL/NHPC/DIBANG/260331/01 dated 31.03.2026 received via mail dated 03.04.2026

2.0 We confirm having accepted your bid dated 03.12.2025 read in conjunction with terms and conditions of Bidding documents and subsequent letters referred to in Para 1.0 above and award to you the Contract for the work of “*Design, Supply, Fabrication, Installation and commissioning of 04 nos. Triple storey (G+2) Pre-Engineered Field Hostel Building at New Apali Colony, Dibang Multipurpose Project (DMPP), Arunachal Pradesh*”, at Contract price of **Rs. 28,74,97,083/- (Rupees Twenty-Eight Crore Seventy-Four Lakh Ninety-Seven Thousand and Eighty-Three Only)** including all taxes and duties.

3.0 The completion time of work is **12 months (Excluding monsoon period from May to September)** reckoned from date of issue of this Letter of Acceptance (LOA) in terms of Clause No. 39.1 of General Conditions of Contract (GCC).

4.0 You are requested to enter into a Contract Agreement with the Employer as per Proforma enclosed in the Bidding Document on non-judicial stamp paper of appropriate value within 28 days from the date of receipt of this Letter of Award.

5.0 You are requested to submit duly executed Integrity pact on Non-judicial stamp paper of appropriate value prior to signing of contract agreement in terms of Clause 2.4 of ITB.

6.0 You are requested to submit the Performance Security deposit of 2% (two percent) of the Accepted Contract Price (i.e **2% of Rs. 28,74,97,083 = Rs. 57,49,942/-**) within 28 days after receipt of issue of this Letter of Acceptance in terms of Clause No.3 of General Conditions of Contract.

Loia



एन एच पी सी लिमिटेड
(भारत सरकार का एक नवतन्त्र उद्यम)
NHPC Limited
(A Government of India Navratna Enterprise)



दिबांग बहुउद्देशीय परियोजना
Dibang Multipurpose Project,
Mayu Sector, PO Roing,
Dist. Lower Dibang Valley,
Arunachal Pradesh, Pin 792110
Email: pnc-dibang@nhpc.nic.in

CIN: L40101HR1975GOI032564 GSTIN: 12AAACN0149C2Z9

- 7.0 This Letter of Acceptance is being issued to you in duplicate. We request you to return its duplicate copy duly signed and stamped on each page by the authorized signatory of your company as a proof of your acknowledgement and confirmation.
- 8.0 You are requested to Contact General Manager (Civil), Township Division, Dibang MPP for taking over work site and commence the works and confirm the action in this regard.

Enclosure: Schedule of Quantities & Prices – Annexure - A

Thanking you,

Yours faithfully,

General Manager (Electrical),
P&C division, DMPP.

NHPC Limited, Roing, Ar. P. -792110

e-mail id: pnc-dibang@nhpc.nic.in

Schedule of Quantities & Prices

Name of work: *Design, Supply, Fabrication, Installation and commissioning of 04 nos. Triple storey (G+2) Pre-Engineered Field Hostel Building at New Apali Colony, Dibang Multipurpose Project (DMPP), Arunachal Pradesh*

Item No.	Item Description	Qty.	Units	Quoted Rate (In Rs.)	Total Amount (In Rs.)
1.01	Supply, Fabrication, Erecting, Installation and commissioning of 4 nos. Triple storey (G+2) Pre-Engineered Field Hostel Building as per specified technical specification.	Sqm	8206.84	32000.00	262618880.00
1.02	Earth work in excavation in soils containing 50% or more of shingle or small size boulders upto 30 cm size including banking in 20 cm layers and breaking clods, ramming and dressing up for the purpose of making embankments or filling up ground depressions lead upto 50 m and lift up to 1.50 m.	Cum	1238.57	498.00	616807.86
1.03	Providing and laying in foundations and plinth cement concrete 1 : 4 : 8 (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size) excluding the cost of centring and shuttering.	Cum	133.75	6810.00	910837.50
1.04	Providing and laying cement concrete 1 : 2 : 4 (1 cement : 2 coarse sand : 4 graded stone aggregate 40 mm nominal size) excluding the cost of centring and shuttering in : a) Foundations and plinth	Cum	12.7	7878.00	100050.60
1.05	Reinforced concrete work in foundations, footings, bases of columns etc. and mass concrete excluding cost of centring, shuttering and reinforcement in : a) M20 (1 cement : 1.5 coarse sand : 3 stone aggregate 20 mm nominal size).	Cum	487.77	9050.00	4414318.50
1.06	Reinforcement of RCC work including bending, binding and placing in position complete. b) Tar/TMT steel	Kg.	31416.92	110.00	3455861.20

21/11/12

Item No.	Item Description	Qty.	Units	Quoted Rate (In Rs.)	Total Amount (In Rs.)
1.07	Centring and shuttering including strutting, propping etc and removal of form work for :a) Foundation, footings, bases of columns etc. and mass concrete.	Sq.m.	100.46	390.00	39179.40
1.08	Steel work riveted or bolted in built up sections, trusses and framed work including cutting, hoisting, fixing in position and applying a priming coat of red lead paint b) In Tees, Angles, Flats and Channels	Quintal	260.56	13370.00	3483687.20
1.09	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge External work (viii) 75 mm nominal outer dia Pipes	Mtr	280	1250.00	350000.00
1.10	Providing and fixing brass full way valve with wheel of approved quality e) 80 mm nominal bore	Each	12	2605.00	31260.00
1.11	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings. This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge :(a) External work (iv) 32 mm nominal outer dia Pipes	Mtr	600	440.00	264000.00
1.12	Providing and fixing brass full way valve with wheel of approved quality a) 32 mm nominal bore	Each	16	500.00	8000.00
1.13	Providing and fixing brass stop cock of approved quality. d) 32 mm nominal bore	Each	16	850.00	13600.00
1.14	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	Litre	32000	12.00	384000.00

21019

Item No.	Item Description	Qty.	Units	Quoted Rate (In Rs.)	Total Amount (In Rs.)
1.15	Loading and Unloading of Cement /Steel /StructuralSteel /RCPipe/WoodenLogs/ Bricks / Bitumen and Timber etc, by Manual Means and Stacking for hill roads.	Ton	357.6	185.00	66156.00
1.16	Cost of Haulage Excluding Loading and Unloading on hill roads.Haulage of materials by tipper excluding cost of loading, unloading and stacking (i) Surfaced Road	tonne.km	95204.14	20.00	1904082.80
1.17	Earth work in excavation in foundation and trenches etc. in all kinds of soil (excluding soil containing 50% or more of shingle or small size boulders upto 30 cm size, saturated soil and rock), lift upto 1.50 m and stacking the excavated soil not more than 3 m clear from the edge of the excavation and returning the stacked soil in 15 cm layers, when required, into plinth sides of foundation etc consolidating each deposited layer by ramming and watering and then disposing of all surplus soil as directed within a lead of 50m	Cum	1343.27	260.00	349250.20
1.18	Filling in plinth with sand under floors including watering, ramming, consolidating and dressing complete.	Cum	661.12	2125.00	1404880.00
1.19	Construction of cement concrete drain 30 cm wide and 23 cm deep in cement concrete 1 : 3 : 6 (1 cement : 3 sand : 6 hard graded stone chips/shingle 40 mm and down gauge) 8 cm thick on sides and bottom and plastering on all exposed surfaces with 12 mm thick cement mortar 1 : 3 (1 cement : 3 fine sand) including shuttering complete.	Mtr.	790.96	1300.00	1028248.00
1.20	Making plinth protection 50 mm thick of cement concrete 1 : 3 : 6 (1 cement : 3 coarse sand : 6 stone aggregate using 20 mm nominal size) over 75 mm bed of stone ballast 40 mm nominal size well rammed and consolidated and grouted with fine sand including finishing the top smooth.	Sqm	487.22	750.00	365415.00
1.21	12 mm cement plaster 1 : 4 (1 cement : 4 fine sand)	Sqm	179.4	350.00	62790.00
1.22	Neat cement punning	Sqm	179.4	300.00	53820.00
1.23	Centring and shuttering including strutting, propping etc and removal of form work for : d) Lintels, beams, girders, bressumers and cantilevers etc.	Sqm	1700.69	740.00	1258510.60

2/10/12

Item No.	Item Description	Qty.	Units	Quoted Rate (In Rs.)	Total Amount (In Rs.)
1.24	Providing and laying cement concrete 1 : 3 : 6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size) excluding the cost of centring and shuttering in: a) Foundations and plinth	Cum	40.5	7300.00	295650.00
1.25	Brick work with best available local bricks in foundations and plinth in cement mortar 1:4 (1 cement : 4 fine sand).	Cum	26.82	7370.00	197663.40
1.26	Centring and shuttering including strutting, propping etc and removal of form work for: c) Suspended floors, roofs, landings shelves and their supports, balconies and chajjas (3.5 m height)	Sqm	70.72	930.00	65769.60
1.27	Reinforced cement concrete in suspended floors, roofs, landings and balconies upto floor two level including finishing and plastering the exposed surface with cement mortar 1 : 3 (1 cement : 3 fine sand) of thickness not exceeding 6 mm to give a smooth and even surface but excluding cost of centring and shuttering and reinforcement with M20 (1 cement : 1.5 coarse sand : 3 stone aggregate 20 mm nominal size)	Cum	6.67	9045.00	60330.15
1.28	15mm cement plaster 1:4 (1 cement : 4 fine sand) on the rough side of single or half brick wall	Sqm	112	400.00	44800.00
1.29	Constructing brick masonry chamber for underground C.I. inspection chamber and bends with bricks in cement mortar 1:4 (1 cement : 4 coarse sand) C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover with frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg), R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:5:10 (1 cement : 5 fine sand : 10 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand), finished smooth with a floating coat of neat cement on walls and bed concrete etc. complete as per standard design: (i) Inside dimensions 455x610 mm and 45 cm deep for single pipe line :With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 Inspection Chamber	Each	120	6940.00	832800.00

210719

Item No.	Item Description	Qty.	Units	Quoted Rate (In Rs.)	Total Amount (In Rs.)
1.30	Making soak pit 2.50 m dia 3 m deep with 45 x 45 cm dry brick honeycomb shaft and SW drain pipe 100 mmdia 1.80 m long complete as per standard design.	Each	4	26870.00	107480.00
1.31	Providing and fixing Chlorinated polyvinyal chloride (CPVC) pipes, having thermal stability for hot and cold water supply including all CPVC plain & brass threated fittings. This includes joining of pipes & fitting with one steck CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Enginner in charge. External work. 100 mm nominal dia pipes	Mtr	1400	1800.00	2520000.00
1.32	Loading and Unloading of Stone Boulder / Stone aggregates / Sand / Kanker/Moorum / Lime / Shingle / Earth / Excavated Rock and Kerb Stone for hill roads. Placing tipper at loading point, loading with front end loader, dumping, turning for return trip, excluding time for haulage and return trip.	Cum	1049.75	180.00	188955.00
	TOTAL				287497083
	TOTAL (in words)	Rupees Twenty-Eight Crore Seventy-Four Lakh Ninety-Seven Thousand and Eighty-Three Only			

21/10/26
11/10/26

General Manager (Electrical),
P&C division, DMP
NHPC Limited, Roing, Ar. P-792110
e-mail id: pnc-dibang@nhpc.nic.in