

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
<b>प्ररूप   Type :</b> Central PSU <b>मंत्रालय   Ministry :</b> Ministry of Power <b>विभाग   Department :</b> NA <b>संगठन का नाम   Organisation Name :</b> NHPC Limited <b>कार्यालय क्षेत्र   Office Zone:</b> Dibang MultiPurpose Project Roing	<b>पद   Designation :</b> SMGEO <b>संपर्क नंबर   Contact No. :</b> - <b>ईमेल आईडी   Email ID :</b> buycon140.nl.ar@gembuyer.in <b>जीएसटीआईएन   GSTIN :</b> - <b>पता   Address :</b> Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited, Lower Dibang Valley, Arunachal Pradesh-792110, Lower Dibang valley, ARUNACHAL PRADESH-792110, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
<b>आईएफडी सहमति   IFD Concurrence :</b> No <b>प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval:</b> ED(HOP) <b>वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval :</b> GM	<b>भुगतान का तरीका   Role:</b> PAO <b>Payment Mode:</b> Offline <b>पद   Designation :</b> SM FINANCE <b>ईमेल आईडी   Email ID :</b> pao29.nl.ar@gembuyer.in <b>जीएसटीआईएन   GSTIN :</b> 12AAACN0149C2Z9 <b>पता   Address:</b> Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited, Lower Dibang valley, ARUNACHAL PRADESH-792110, India <b>भुगतान समयसीमा   Payment Timelines:</b> Payments shall be made to the seller within 15 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10-days time as provided in clause 12 of GeM GTC)

विक्रेता विवरण   Seller Details
<b>जेम विक्रेता आईडी   GeM Seller ID :</b> QOQD250013314587 <b>कंपनी का नाम   Company Name :</b> Shree Radha Enterprises <b>संपर्क नंबर   Contact No. :</b> 09457992781 <b>ईमेल आईडी   Email ID :</b> shreeradhaenterprises99@gmail.com <b>पता   Address :</b> 5,Near Parag school near yuvraj park,ADHISHWAR CANAL,Naroda, Ahmedabad, GUJARAT-382345, - <b>एमएसएमई पंजीकरण संख्या   MSME Registration number :</b> UDYAM-GJ-01-0523625 <b>जीएसटीआईएन   GSTIN:</b> 24DHPPS8807G1ZS (R)
<b>खरीदार द्वारा मूल्यांकित एमआईआई स्थिति   MII Status as evaluated by buyer :</b> Verified <b>खरीदार द्वारा सत्यापित एमएसएमई स्थिति   MSME Status as verified by buyer :</b> Not Verified
<b>एमएसई सामाजिक श्रेणी   MSE Social Category :</b> General <b>एमएसई लिंग श्रेणी   MSE Gender :</b> Male

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण   Product Details						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	<b>उत्पाद का नाम   Product Name :</b> FILTROS INDIA Laboratory Filter Papers of type Quantitative Filter Paper with Pore size 8.0 µm <b>ब्रांड   Brand :</b> FILTROS INDIA <b>ब्रांड प्रकार   Brand Type :</b> Registered Brand <b>कैटलॉग की स्थिति   Catalogue Status:</b> Catalogue not verified by OEM <b>कैसे बेचा जा रहा है   Selling As :</b> Reseller not verified by OEM <b>श्रेणी का नाम और चतुर्थांश   Category Name &amp; Quadrant :</b> Laboratory Filter Papers (V2) (Q3) <b>मॉडल   Model:</b> 140 <b>एचएसएन कोड   HSN Code:</b> HSN not specified by seller <b>उद्गम देश   Country Of Origin:</b> India	24	packet	950	NA	22,800
2	<b>उत्पाद का नाम   Product Name :</b> FILTROS INDIA Laboratory Filter Papers of type Quantitative Filter Paper with Pore size 20.0 µm <b>ब्रांड   Brand :</b> FILTROS INDIA <b>ब्रांड प्रकार   Brand Type :</b> Registered Brand <b>कैटलॉग की स्थिति   Catalogue Status:</b> Catalogue not verified by OEM	24	packet	1,000	NA	24,000

कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Laboratory Filter Papers (V2) (Q3) मॉडल   Model: 141 एचएसएन कोड   HSN Code: HSN not specified by seller उद्गम देश   Country Of Origin: India						
3	उत्पाद का नाम   Product Name : FILTROS INDIA Laboratory Filter Papers of type Quantitative Filter Paper with Pore size 2.5 µm ब्रांड   Brand : FILTROS INDIA ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Laboratory Filter Papers (V2) (Q3) मॉडल   Model: 142-125-100C एचएसएन कोड   HSN Code: HSN not specified by seller उद्गम देश   Country Of Origin: India	66	packet	900	NA	59,400

कुल ऑर्डर मूल्य | Total Order Value (in INR) 106,200

### परोषिती विवरण | Consignee Detail

क्र.सं.   S.No	परोषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation : - ईमेल आईडी   Email ID : jitendrasingh@nhpc.nic.in संपर्क   Contact : 03803-222002- जीएसटीआईएन   GSTIN : 12AAACN0149C229 पता   Address : Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited, Lower Dibang Valley, Arunachal Pradesh-792110, Lower Dibang valley, ARUNACHAL PRADESH-792110, India	FILTROS INDIA Laboratory Filter Papers of type Quantitative Filter Paper with Pore size 8.0 µm	-	24	25-Jun-2026	25-Jul-2026
		FILTROS INDIA Laboratory Filter Papers of type Quantitative Filter Paper with Pore size 20.0 µm	-	24	25-Jun-2026	25-Jul-2026
		FILTROS INDIA Laboratory Filter Papers of type Quantitative Filter Paper with Pore size 2.5 µm	-	66	25-Jun-2026	25-Jul-2026

### Product Specification for FILTROS INDIA Laboratory Filter Papers of type Quantitative Filter Paper with Pore size 8.0 µm

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Generic	Product Description	Semi-permeable media used to separate and collect solid particles from liquids or gases during filtration for sample preparation, purification, and analysis.
	Construction	Formed into a porous sheet, often creped or pleated and wet-strengthened; quantitative ashless grades are acid-washed for low residue, with variants using glass microfiber or polymers.
Features and Performance	Grade Type	Ashless
	Type of Filter Paper	Quantitative Filter Paper
	Material of filter paper	Cellulose
	Surface	Smooth
	Pattern	Plain
	Pore size	8.0 µm
	Flow Rate (approximate)	340 Herzberg (s)
	Particle Retention	99%
	Nominal Caliper	N.A
	Dry Burst Strength	110 kPa
	Wet Burst Strength	3.8 kPa
	Initial Filtration Rate (s/100 ml)	N.A (where initial filtration rate is not required)
	pH Value	7.0
	Ash content (Percent by Mass)	0.007
	Alpha Cellulose Content (%)	≥98
Hardened Low Ash	NA	

	Maximum operating temperature	500 Celsius
	Air Permeability (L/m <sup>2</sup> /s)	N.A (Non glass microfiber filter paper)
Dimension and Thickness	Filter Paper (Length X Width)	NA
	Diameter of Filter Paper	125 mm
	Thickness	0.21 mm
	Weight ± 2 (g/square meter)	92
Marking and Packing	Number of pieces in each packet	100 pieces
Certification / Test Report	Type of lab which carried out Test of Complete Product to prove the conformity of product as per Governing Specification	OEM/NABL Accredited Lab/ ILAC Accredited Lab
	Agree to provide all relevant documents Test Report/supporting document /reports etc if applicable to the buyer at the time of bidding or on demand	Yes

**टिप्पणी | Note::** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

### Product Specification for FILTROS INDIA Laboratory Filter Papers of type Quantitative Filter Paper with Pore size 20.0 µm

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Generic	Product Description	Semi-permeable media used to separate and collect solid particles from liquids or gases during filtration for sample preparation, purification, and analysis.
	Construction	Formed into a porous sheet, often creped or pleated and wet-strengthened; quantitative ashless grades are acid-washed for low residue, with variants using glass microfiber or polymers.
Features and Performance	Grade Type	Ashless
	Type of Filter Paper	Quantitative Filter Paper
	Material of filter paper	Cellulose
	Surface	Smooth
	Pattern	Plain
	Pore size	20.0 µm
	Flow Rate (approximate)	54 Herzberg (s)
	Particle Retention	99%
	Nominal Caliper	N.A
	Dry Burst Strength	69 kPa
	Wet Burst Strength	2.0 kPa
	Initial Filtration Rate (s/100 ml)	N.A (where initial filtration rate is not required)
	pH Value	6.0
	Ash content (Percent by Mass)	0.007
	Alpha Cellulose Content (%)	≥98
	Hardened Low Ash	NA
Maximum operating temperature	500 Celsius	
Air Permeability (L/m <sup>2</sup> /s)	N.A (Non glass microfiber filter paper)	
Dimension and Thickness	Filter Paper (Length X Width)	NA
	Diameter of Filter Paper	125 mm
	Thickness	0.21 mm
	Weight ± 2 (g/square meter)	84
Marking and Packing	Number of pieces in each packet	100 pieces
Certification / Test Report	Type of lab which carried out Test of Complete Product to prove the conformity of product as per Governing Specification	OEM/NABL Accredited Lab/ ILAC Accredited Lab
	Agree to provide all relevant documents Test Report/supporting document /reports etc if applicable to the buyer at the time of bidding or on demand	Yes

**टिप्पणी | Note::** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

**Product Specification for FILTROS INDIA Laboratory Filter Papers of type Quantitative Filter Paper with Pore size 2.5 µm**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Generic	Product Description	Semi-permeable media used to separate and collect solid particles from liquids or gases during filtration for sample preparation, purification, and analysis.
	Construction	Formed into a porous sheet, often creped or pleated and wet-strengthened; quantitative ashless grades are acid-washed for low residue, with variants using glass microfiber or polymers.
Features and Performance	Grade Type	Ashless
	Type of Filter Paper	Quantitative Filter Paper
	Material of filter paper	Cellulose
	Surface	Smooth
	Pattern	Plain
	Pore size	2.5 µm
	Flow Rate (approximate)	1870 Herzberg (s)
	Particle Retention	99%
	Nominal Caliper	N.A
	Dry Burst Strength	172 kPa
	Wet Burst Strength	4.8 kPa
	Initial Filtration Rate (s/100 ml)	N.A (where initial filtration rate is not required)
	pH Value	7.0
	Ash content (Percent by Mass)	0.007
	Alpha Cellulose Content (%)	≥98
	Hardened Low Ash	NA
Maximum operating temperature	500 Celsius	
Air Permeability (L/m <sup>2</sup> /s)	N.A (Non glass microfiber filter paper)	
Dimension and Thickness	Filter Paper (Length X Width)	NA
	Diameter of Filter Paper	125 mm
	Thickness	0.20 mm
	Weight ± 2 (g/square meter)	100
Marking and Packing	Number of pieces in each packet	100 pieces
Certification / Test Report	Type of lab which carried out Test of Complete Product to prove the conformity of product as per Governing Specification	OEM/NABL Accredited Lab/ ILAC Accredited Lab
	Agree to provide all relevant documents Test Report/supporting document /reports etc if applicable to the buyer at the time of bidding or on demand	Yes

**टिप्पणी | Note::** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

**शुद्धिपत्र | Corrigendum**

**ईपीबीजी विवरण | ePBG Detail**

सलाहकार बैंक   Advisory Bank :	NA
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):	NA

## नियम और शर्तें | Terms and Conditions

### 1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 1.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

### 2. Buyer Added Bid Specific Terms and Conditions-

#### 2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

#### 2.2 Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

#### 2.3 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Only supply of Goods

#### Note:

- Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing, and will also contribute to improving their ratings.
- This Order is eligible for processing under the Trade Receivables Discounting System (TReDS), and payment against the corresponding bill may be facilitated through a TReDS exchange in which the buyer is registered. Accordingly, the seller shall, ensure timely registration with any such TReDS exchange to facilitate payment under the TReDS mechanism.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.