



Bid Number/बोली क्रमांक (बिड संख्या)[:] GEM/2024/B/4858307 Dated/दिनांक : 23-04-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण		
Big Details/।बंड ।ववरण		
Bid End Date/Time/बिड बंद होने की तारीख/समय	14-05-2024 19:00:00	
Bid Opening Date/Time/बिड खुलने की तारीख/समय	14-05-2024 19:30:00	
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)	
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Power	
Department Name/विभाग का नाम	Na	
Organisation Name/संगठन का नाम	Nhpc Limited	
Office Name/कार्यालय का नाम	Dibang Multipurpose Project Roing	
Total Quantity/कुल मात्रा	38	
Revolving Chair (V3) (Q2) (PAC Only) , Steel Tables a IS 8126 (Q3) (PAC Only) , Executive Table (V2) (Q3) (PAC Only) , Executive Table (Q3) (PAC Only) , Executive Computer Table (Q3) (PAC Only) , Centre Table (Q3) (PAC Only) , Chair Office (V2) (Q3) (PAC Only) , Almirah Steel (V2) (Q3) (PAC Only) , Scentre Table (V2) (Q3) (PAC Only)		
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes	
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer	
Bid to RA enabled/बिंड से रिवर्स नीलामी सक्रिय किया	No	
Type of Bid/बिंड का प्रकार	Two Packet Bid	
Primary product category	Executive Table (V2)	
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days	

Bid Details/बिड विवरण	
Inspection Required (By Empanelled Inspection Authority / Agencies preregistered with GeM)	No
Estimated Bid Value/अनुमानित बिड मूल्य	674580
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाईजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	13000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%)/ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	14

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

NHPC Limited

NHPC Office Complex, Sector-33, Faridabad, Haryana-121003, Collection Account No. :11362151275, IFSC Code: SBIN0005821 (Nhpc Limited)

(Nhpc Limited)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

Reserved for Make In India products

-	
Reserved for Make In India products	Yes

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

Details of the Competent Authority approval for PAC

Competent Authority Approval document for PAC : <u>View Document</u>

LALITENDU KUMAR TRIPATHI
EXECUTIVE DIRECTOR
НОР
E-offfice file no. NH-DBP-ENV016/2/2024-R AND R CP No. 84 and NH-DBP-PH013/4/2024-LOT1 CP NO. 7
2024-03-28 00:00:00
Proprietary Article Certificate issued by HOP, DMP

- 1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer. 3. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
- 4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. 5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any

impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Revolving Chair (V3) (5 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinterioprimelargeseatwithheadrest

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERAL	Tilt mechanism	Knee tilt Synchronic mechanism	
REQUIREMENT	Locking mechanism	Any position Locking	
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)	
	Backrest type	Tilting type	
MATERIAL AND	Pedestal Base	Chrome	
MATERIAL THICKNESS	Armrest Material	PU molded over metal insert	
	Minimum density of foam used in seat	30 kg per cubic meter	
	Minimum thickness of PU foam used in seat	30 mm	
	Seat upholstery material	100 % Polyester fabric	
	Backrest base frame material	Hot pressed plywood	
	Padding at backrest	PU foam	
	The minimum density of foam used in the backrest	30 kg per cubic meter	
	Minimum thickness of PU foam used in backrest	30 mm	
	Backrest upholstery material	100 % Polyester fabric	
	Upholstery material thickness /fabric substance used in seat /backrest	Minimum 200 GSM (for Woven fabric)	
DIMENSION	Minimum width of seat	450 mm	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Black
	Upholstered material backrest color	Black

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	5	45

Steel Tables As Per IS 8126 (5 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinteriot-9table

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Storage	both side

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Total Number of Storage Units	five storage
	Table Top Material and Thickness (+/-2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	Padestal (Under structure)	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm, Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum (Not as per IS 8126)
	Table Top Length +/- 10(mm)	1360.0 (millimeter)
	Table Top Width +/-10(mm)	690.0 (millimeter)
	Table Height +/-5(mm)	735.0 (millimeter)
MATERIAL	Storage Unit and Drawer Units Material	0.6 mm M S Sheet (Not as per IS 8126)
DIMENSION	Depth of Storage Unit +/- 10(mm)	550.0 (millimeter)
	Width of Locker / Cupboard type Storage unit	355 mm
	Depth of Locker / Cupboard type Storage unit	560 MM
CERTIFICATION	ISI Marked	No
	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/ISO 45001:2018 certified	YES
	Green guard certification	NO
WARRANTY	Warranty in number of years	1

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	5	45

Executive Table (V2) (1 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	aristoexecutivetable2100*1200erupdl

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Two legs with modesty panel
	The type of Storage provided	One side pedestal unit
	Keyboard tray	Not provided
	Footrest	Not Provided
MATERIAL	Tabletop Material	Prelaminated MDF board
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	25 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	25 mm
	Leg Material	NA
	The thickness of the Leg material	NA
DIMENSION	Width of tabletop ±10 mm	2100 mm
	Depth of table ±10 mm	915 mm
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	NA

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
EXTENDED RETURN UNIT	ERU unit consists of 3 drawers	
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
COLOUR AND FINISH	Table top finish Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balanc laminate of 0.5mm thick on another side	
	Tabletop shade	Teak
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	1	45

Executive Table (V2) (3 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinteriofinesse-4020maintablepedestal

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERIC	Structure /Frame of table	Gable end and modesty panel	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	The type of Storage provided	One side E.R.U unit	
	Keyboard tray	Not provided	
	Footrest	Not Provided	
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates	
	Thickness of table top material (± 1 mm)	25 mm	
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest	
	The thickness of the gable end	18 mm	
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest	
	The thickness of the modesty panel material	18 mm	
	Leg Material	NA	
	The thickness of the Leg material	NA	
DIMENSION	Width of tabletop ±10 mm	1200 mm	
	Depth of table ±10 mm	600 mm	
	Height of table ±10 mm	750 mm	
	Size (L x W) /diameter of leg material ± 5 mm	25 x 25 (mm)	
EXTENDED RETURN UNIT	ERU unit consists of	No ERU	
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers	
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side	
	Tabletop shade	Peach	
	Table /ERU /Pedestal Panel Plain Side	NA	
WARRANTY	Warranty period	1 Year	
CERTIFICATION	Test reports to be furnished to the buyer on demand	Yes	

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	3	45

Executive Computer Table (1 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinteriocompanionc9computertable

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERIC	Type of Computer Table	Computer cum Printer table with key board pullout tray and table top	
	Construction of Computer/Printer Table	Gable end and modesty panel	
FINISHING AND PACKING	Colour of Top	brown	
MATERIAL	Material of table top,keyboard and drawer	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest	
	Gable end and Modesty panel material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest	
	Leg Material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest	
DIMENSION	Table top thickness ±2mm	19.0 (millimeter)	
	Thickness of gable end and modesty panel ±2mm	15	
	Dimension of leg(mmXmm) ±5mm	No legs	
	Length of table in mm (±15 mm)	915.0 (millimeter)	
	Depth of table in mm (±10mm)	460.0 (millimeter)	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Height of table in mm (±10mm)	685.0 (millimeter)
KEYBOARD TRAY	Type of keyboard tray	Prelaminated particle board keyboard tray
FOOTREST	Material of footrest	No footrest
	Material thickness of footrest ±2mm	No footrest
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher
CERTIFICATION	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018certi fied	YES

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	1	45

Centre Table (2 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model godrejinteriomerakicornertable	

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Number of storage under top	No storage
MATERIAL	Top material	Other wood
	Frame material	Other wood
DIMENSION & THICKNESS	Dimension of Top (Length X Breadth, or Diameter) ±20mm	609mm(Dia)
	Height of centre table ±10 mm	485.0 (millimeter)
	Thickness of top material (+/-2 mm)	18.0 (millimeter)
	Thickness of frame material (+/- 1 mm)	19.0 (millimeter)
WARRANTY	Warranty period in number of years	1

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	2	45

Chair Office (V2) (6 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio	
Model godrejinteriobravovisitorchair		

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERAL	Chair Type	Non-Revolving and Non-Tilting chair with Armrest	
REQUIREMENT	Chair frame type	Cantilever	
	Armrest type	Moulded armrest continuously fitted with seat bottom to backrest	
	Seat type	Padded	
	Backrest type	Padded	
CHAIR FRAME	Frame Material Configuration	One piece	
	Frame material	Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment)	
SEAT FABRICATION	Seat material	Moulded Plywood	
	Seat material thickness	40 mm	
	Density of Polyurethane foam used in seat (±2 Kg/Cub Meter)	45	
	Seat upholstered with	Fabric	
	GSM of seat cover (± 3 GSM)	220 GSM	
BACKREST	Backrest material	Moulded Plywood	
FABRICATION	Density of Polyurethane foam used in Backrest (±2 Kg/Cub Meter)	45	
	Backrest upholstered with	Fabric	
DIMENSION	Seat Depth (± 5 mm)	480 mm	
	Seat Width (± 5 mm)	460 mm	
	Seat height from floor surface (± 5 mm)	455 mm	
	Backrest width (± 5 mm)	470 mm	
	Backrest height from seat (± 5 mm)	480 mm	
COLOUR AND FINISH	Paint Type	Ероху	
	Polish Type	N.A	
	Colour of Paint	Black	
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification	No	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Test reports to be furnished to buyer on demand	Yes

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	6	15

Chair Office (V2) (10 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model godrejinteriooxbovisitorchair	

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERAL	Chair Type	Non-Revolving and Non-Tilting chair with Armrest	
REQUIREMENT	Chair frame type	Cantilever	
	Armrest type	Moulded armrest continuously fitted with seat bottom to backrest	
	Seat type	Padded	
	Backrest type	Padded	
CHAIR FRAME	Frame Material Configuration	One piece	
	Frame material	Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment)	
SEAT FABRICATION	Seat material	Moulded Plywood	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seat material thickness	40 mm
	Density of Polyurethane foam used in seat (±2 Kg/Cub Meter)	32, 35, 40, 45, N.A, 55, 70
	Seat upholstered with	Fabric
	GSM of seat cover (± 3 GSM)	220 GSM
BACKREST FABRICATION	Backrest material	Mesh with support of injection moulded polypropylene (P.P)
	Density of Polyurethane foam used in Backrest (±2 Kg/Cub Meter)	N.A
	Backrest upholstered with	Mesh Fabric
DIMENSION Seat Depth (± 5 mm)		480 mm
	Seat Width (± 5 mm)	460 mm
	Seat height from floor surface (± 5 mm)	455 mm
	Backrest width (± 5 mm)	450 mm
	Backrest height from seat (± 5 mm)	480 mm
COLOUR AND FINISH	Paint Type	Ероху
	Polish Type	N.A
	Colour of Paint	Black
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification	No
	Test reports to be furnished to buyer on demand	Yes

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	10	15

Revolving Chair (V3) (1 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinteriolasedehighbackchair

Technical Specifications/तकनीकी विशिष्टियाँ

Tilt mechanism Synchronic tilt mechanism	Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Locking mechanism Tilt limiter		Tilt mechanism	Synchronic tilt mechanism
movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation Backrest type Tilting type MATERIAL AND MATERIAL THICKNESS Pedestal Base Armrest Material PU molded over plastic inner Minimum density of foam used in seat Minimum thickness of PU foam used in seat Seat upholstery material Pu molded over plastic inner Leather Backrest base frame Hot pressed plywood Padding at backrest PU foam The minimum density of foam as of pu foam used in the backrest Minimum thickness of PU foam Material Pu foam Moment Hint: The buyer material Leather Backrest base frame Hot pressed plywood Moment Hint: The buyer material as of pu foam Material Pu foam Moment Hint: The buyer material and the public meter Moment Hint: The buyer material and the public meter Moment Hint: The buyer may be used.	REQUIREMENT	Locking mechanism	Tilt limiter
MATERIAL AND MATERIAL THICKNESS Pedestal Base Armrest Material PU molded over plastic inner Minimum density of foam used in seat Minimum thickness of PU foam used in seat Seat upholstery material Padding at backrest PU foam Pu molded over plastic inner 30 kg per cubic meter Leather Hot pressed plywood Padding at backrest PU foam The minimum density of foam used in the backrest Minimum thickness of PU Minimu		movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of	Adjustable (up and down)
MATERIAL THICKNESS Armrest Material PU molded over plastic inner 30 kg per cubic meter Minimum density of foam used in seat Minimum thickness of PU foam used in seat Seat upholstery material Backrest base frame material Padding at backrest PU foam Pu molded over plastic inner 30 kg per cubic meter Hot pressed plywood Padding at backrest PU foam The minimum density of foam used in the backrest Minimum thickness of PU 30 mm		Backrest type	Tilting type
THICKNESS Armrest Material Minimum density of foam used in seat Minimum thickness of PU foam used in seat Seat upholstery material Backrest base frame material Padding at backrest The minimum density of foam used in the backrest Minimum thickness of PU so mm The minimum density of foam used in the backrest Minimum thickness of PU so mm		Pedestal Base	Aluminium die Cast
Minimum thickness of PU foam used in seat 30 mm		Armrest Material	PU molded over plastic inner
foam used in seat Seat upholstery material Backrest base frame material Padding at backrest Pu foam The minimum density of foam used in the backrest Minimum thickness of PU Seat upholstery material Leather Hot pressed plywood PU foam 30 kg per cubic meter			30 kg per cubic meter
Backrest base frame material Padding at backrest Pu foam The minimum density of foam used in the backrest Minimum thickness of PU Hot pressed plywood PU foam 30 kg per cubic meter		1	30 mm
Padding at backrest PU foam The minimum density of foam used in the backrest Minimum thickness of PU But foam 30 kg per cubic meter 30 mm		Seat upholstery material	Leather
The minimum density of foam used in the backrest Minimum thickness of PU 30 kg per cubic meter 30 mm			Hot pressed plywood
foam used in the backrest Minimum thickness of PU 30 mm		Padding at backrest	PU foam
			30 kg per cubic meter
134111 4334 111 43411 4341		Minimum thickness of PU foam used in backrest	30 mm
Backrest upholstery Leather material			Leather

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum width of seat	450 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Black
	Upholstered material backrest color	Black

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	1	45

Almirah Steel (V2) (2 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	steelalmirahmodelgodrejkdplainwith4shelves

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowe Values)/अनुमत मूल्य	
GENERAL REQUIREMENT	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)	
	Type of Almirah steel	Almirah Steel shelving cabinets	
		2	
		No Drawer	
	Number of shelves	4	
	Colour of finish	Silver Grey	
MATERIAL	Steel sheet material	CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)	
	Sheet rounds and flats	N.A	
DIMENSION	Almirah height(excluding the height of pedestal) ± 5 mm	1830 mm	
	Almirah width ± 5 mm	910 mm	
	Almirah depth ± 5 mm	480 mm	
	Side sheet thickness	0.9 mm	
	Back sheet thickness	0.9 mm	
	Top sheet thickness	1 mm	
	Bottom sheet thickness	1 mm	
	Shelves sheet thickness	0.9 mm	
	Shelves supporting bracket thickness	N.A	
	Hinges sheet thickness	1.25 mm(double folded)	
	Hanging rod wall thickness	N.A	
	Mirror frame sheet thickness	N.A	
	Mirror frame border width	N.A	
	Width of stiffener	N.A	
	Stiffener sheet thickness	N.A	
	Number of glass sheet fixed	N.A	
	Handle size	12 cm	
LOCKS AND LOCKING ARRANGEMENT	Steel Almirah lock/locker lock	Six lever lock	
ANNANGEMENT	Material of lock	Brass and Steel finish	
FINISH Finish coat with enamels		Conforming to IS : 2932 (Part 1), Conforming to IS 2933 (Part 1)	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Powder coating	N.A

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	2	15

Sofas (V2) (2 pieces) (Under PAC)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Make	godrejinterio
Model	godrejinterioparto3seatersofa

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	3
	Number of Single Seater Units (Nos)	No Single Seater Unit
	Number of Two Seater Units (Nos)	No Two Seater Unit
	Number of Three Seater Units (Nos)	
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Backrest Cushion Material	Foam	
	Density of Cushion of Backrest Material (Kg/Cubic M)	28	
	Covering Material for Seat and Backrest	Leatherite	
MATERIAL	Frame Structure Material and size (±1 mm)	18 mm thick Teak Plywood	
	Seat Cushion Material	Foam	
	Density of Cushion of Seat Material ±3 (Kg/Cubic M)	35	
	Type of Spring in the Base / Seating	Web suspension	
DIMENSION	Length of Single Seater Units in mm (±5 mm)	N.A	
	Length of Two Seater Units in mm (±10 mm)	N.A	
	Length of Three Seater Units in mm (±10 mm)	1750	
	Length of Four Seater Units in mm (±10 mm)	N.A	
	Depth of Sofa Units in mm (±10 mm)	800	
	Sofa Height (Without Back Cushion) ±5 (mm)	400.0 (millimeter)	
	Sofa Height (With Back Cushion) ±5 mm	765.0 (millimeter)	
	Seat Cushion Length ±5 (mm)	640	
	Seat Cushion Width ±5 (mm)	710	
	Seat Cushion Thickness ±3 (mm)	100	
	Backrest Cushion Length ±5 (mm)	1050	
	Backrest Cushion Width ±5 (mm)	585	
WARRANTY	Warranty	1 - Year	

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	2	45

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

NHPC LIMITED payable at SBI, Roing, (Branch Code 05821)

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

2. Forms of EMD and PBG

Bidders can also submit the EMD with Banker's Cheque in favour of

NHPC LIMITED payable at SBI, Roing, (Branch Code 05821)

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

3. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

NHPC LIMITED payable at

SBI, Roing, (Branch Code 05821)

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

4. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

5. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

During evaluation and comparison of bids, the purchaser at his discretion, ask th

e bidder for clarification/submission of documents/ correction of Format as per bid requirement (if any) in case whose rectification would not affect unfairly the competitive position of other bidders presenting substantially responsive bids, even by the sole bidder. The documents submitted by the bidder during clarification shall also be the integral part of the contract. However, the submitted document saffecting in any substantial way the scope/ quality/ performance of the service/ contradicting original document or any material fact, would not be considered.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.
- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for <u>attached categories</u>, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी

गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---