

### Bid Document/ बिड दस्तावेज़

| Bid Details/बिड विवरण  |  |
|--|--|
| Bid End Date/Time/बिड बंद होने की तारीख/समय  | 27-11-2024 11:00:00  |
| Bid Opening Date/Time/बिड खुलने की तारीख/समय   | 27-11-2024 11:30:00  |
| Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)  | 120 (Days)   |
| Ministry/State Name/मंत्रालय/राज्य का नाम  | Ministry Of Power  |
| Department Name/विभाग का नाम   | Na   |
| Organisation Name/संगठन का नाम   | Nhpc Limited   |
| Office Name/कार्यालय का नाम  | Nhpc Ltd Parbati-iii Power Station   |
| Total Quantity/कुल मात्रा  | 368  |
| Item Category/मद केटेगरी   | Miniature Circuit Breakers Distribution Boards as per IS 13032 (Q3) , MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1) (Q2)  |
| MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है              | Yes  |
| Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है | Yes  |
| Document required from seller/विक्रेता से मांगे गए दस्तावेज़   | Experience Criteria,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC)<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| Do you want to show documents uploaded by bidders to all bidders participated in bid?/   | No   |
| Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया   | No   |
| Type of Bid/बिड का प्रकार  | Two Packet Bid   |
| Primary product category   | MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1)   |

| Bid Details/बिड विवरण   |                             |
|---|-----------------------------|
| <b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b> | 5 Days                      |
| <b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>                                      | No                          |
| <b>Estimated Bid Value/अनुमानित बिड मूल्य</b>   | 176032                      |
| <b>Evaluation Method/मूल्यांकन पद्धति</b>   | Total value wise evaluation |
| <b>Arbitration Clause</b>   | No                          |
| <b>Mediation Clause</b>   | No                          |

#### EMD Detail/ईएमडी विवरण

|                   |    |
|-------------------|----|
| Required/आवश्यकता | No |
|-------------------|----|

#### ePBG Detail/ईपीबीजी विवरण

|                   |    |
|-------------------|----|
| Required/आवश्यकता | No |
|-------------------|----|

#### MII Purchase Preference/एमआईआई खरीद वरीयता

|  |     |
|--|-----|
| MII Purchase Preference/एमआईआई खरीद वरीयता | Yes |
|--|-----|

#### MSE Purchase Preference/एमएसई खरीद वरीयता

|   |     |
|---|-----|
| MSE Purchase Preference/एमएसई खरीद वरीयता | Yes |
|---|-----|

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the

Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

### **Miniature Circuit Breakers Distribution Boards As Per IS 13032 ( 5 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

#### **Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम           | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य    |
|---------------|--|---|
| GENERIC       | <b>Rated voltage of MCB Board (in Volts)</b> | 415   |
|               | <b>Number of ways (in Nos)</b>               | 8   |
|               | <b>Rating of the Busbar (in Ampere)</b>      | 100   |
|               | <b>Material of Busbar</b>                    | Copper  |
| CONSTRUCTION  | <b>Material Of MCB Board Boxes</b>           | Mild Steel - Properly pretreated and stove enameled/Powder Coated |

| Specification | Specification Name/विशिष्टि का नाम                 | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|--|--|
|               | Thickness of material (in mm)                      | 1.4 mm (MS sheet)  |
|               | Enclosure - Degree of Protection                   | IP 43  |
|               | Method of operating MCB's                          | Double Door (after opening of top cover)                       |
|               | Suitable to accommodates specified Number of poles | Single Pole MCBs as outgoing and Double pole MCB as incoming   |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता   | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122, Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 5               | 60                           |

### **Miniature Circuit Breakers Distribution Boards As Per IS 13032 ( 5 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम    | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य    |
|---------------|---------------------------------------|---|
| GENERIC       | Rated voltage of MCB Board (in Volts) | 240   |
|               | Number of ways (in Nos)               | 6   |
|               | Rating of the Busbar (in Ampere)      | 100   |
|               | Material of Busbar                    | Copper  |
| CONSTRUCTION  | Material Of MCB Board Boxes           | Mild Steel - Properly pretreated and stove enameled/Powder Coated |

| Specification | Specification Name/विशिष्टि का नाम                 | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|--|--|
|               | Thickness of material (in mm)                      | 1.4 mm (MS sheet)  |
|               | Enclosure - Degree of Protection                   | IP 20  |
|               | Method of operating MCB's                          | Double Door (after opening of top cover)                       |
|               | Suitable to accommodates specified Number of poles | Single Pole MCBs as outgoing and Double pole MCB as incoming   |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता   | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122, Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 5               | 60                           |

### **Miniature Circuit Breakers Distribution Boards As Per IS 13032 ( 5 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम    | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य    |
|---------------|---------------------------------------|---|
| GENERIC       | Rated voltage of MCB Board (in Volts) | 240   |
|               | Number of ways (in Nos)               | 4   |
|               | Rating of the Busbar (in Ampere)      | 100   |
|               | Material of Busbar                    | Copper  |
| CONSTRUCTION  | Material Of MCB Board Boxes           | Mild Steel - Properly pretreated and stove enameled/Powder Coated |

| Specification | Specification Name/विशिष्टि का नाम                 | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|--|--|
|               | Thickness of material (in mm)                      | 1.4 mm (MS sheet)  |
|               | Enclosure - Degree of Protection                   | IP 43  |
|               | Method of operating MCB's                          | Double Door (after opening of top cover)                       |
|               | Suitable to accommodates specified Number of poles | Single Pole MCBs as outgoing and Double pole MCB as incoming   |

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता   | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122, Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 5               | 60                           |

### MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 10 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| Specification | Specification Name/विशिष्टि का नाम                  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| STANDARDS     | Conformity of the specification                     | as per IS/IEC 60898 : PART 1:2015 latest                       |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 4 P with 3 PP  |
|               | Rated voltage (in Volts)                            | 415 V, AC  |
|               | Rated Current (in Ampere)                           | 63   |

| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता   | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122, Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 10              | 60                           |

### MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 10 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| Specification | Specification Name/विशिष्टि का नाम                  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| STANDARDS     | Conformity of the specification                     | as per IS/IEC 60898 : PART 1:2015 latest                       |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 4 P with 3 PP  |
|               | Rated voltage (in Volts)                            | 415 V, AC  |
|               | Rated Current (in Ampere)                           | 40   |

| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता   | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122, Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 10              | 60                           |

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 10 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम                  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| STANDARDS     | Conformity of the specification                     | as per IS/IEC 60898 : PART 1:2015 latest                       |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 4 P with 3 PP  |
|               | Rated voltage (in Volts)                            | 415 V, AC  |
|               | Rated Current (in Ampere)                           | 32   |



| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता   | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122, Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 10              | 60                           |

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 10 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम                  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| STANDARDS     | Conformity of the specification                     | as per IS/IEC 60898 : PART 1:2015 latest                       |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 4 P with 3 PP  |
|               | Rated voltage (in Volts)                            | 415 V, AC  |
|               | Rated Current (in Ampere)                           | 16   |

| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता   | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122, Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 10              | 60                           |

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 10 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम                  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| STANDARDS     | Conformity of the specification                     | as per IS/IEC 60898 : PART 1:2015 latest                       |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 4 P with 3 PP  |
|               | Rated voltage (in Volts)                            | 415 V, AC  |
|               | Rated Current (in Ampere)                           | 6  |

| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता   | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122, Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 10              | 60                           |

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 10 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम                  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| STANDARDS     | Conformity of the specification                     | as per IS/IEC 60898 : PART 1:2015 latest                       |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 3 P with 3 PP  |
|               | Rated voltage (in Volts)                            | 415 V, AC  |
|               | Rated Current (in Ampere)                           | 63   |

| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता   | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122, Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 10              | 60                           |

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 10 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम                  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| STANDARDS     | Conformity of the specification                     | as per IS/IEC 60898 : PART 1:2015 latest                       |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 3 P with 3 PP  |
|               | Rated voltage (in Volts)                            | 415 V, AC  |
|               | Rated Current (in Ampere)                           | 40   |

| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता   | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122, Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 10              | 60                           |

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 10 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम                  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| STANDARDS     | Conformity of the specification                     | as per IS/IEC 60898 : PART 1:2015 latest                       |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 3 P with 3 PP  |
|               | Rated voltage (in Volts)                            | 415 V, AC  |
|               | Rated Current (in Ampere)                           | 32   |

| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता   | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122, Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 10              | 60                           |

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 10 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम                  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| STANDARDS     | Conformity of the specification                     | as per IS/IEC 60898 : PART 1:2015 latest                       |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 3 P with 3 PP  |
|               | Rated voltage (in Volts)                            | 415 V, AC  |
|               | Rated Current (in Ampere)                           | 16   |

| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता   | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122, Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 10              | 60                           |

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 10 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम                  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| STANDARDS     | Conformity of the specification                     | as per IS/IEC 60898 : PART 1:2015 latest                       |
|               | Product ISI Marked                                  | Yes  |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 3 P with 3 PP  |
|               | Rated voltage (in Volts)                            | 415 V, AC  |

| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
|               | Rated Current (in Ampere)   | 6  |
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता  | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122,Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 10              | 60                           |

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 10 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम                  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| STANDARDS     | Conformity of the specification                     | as per IS/IEC 60898 : PART 1:2015 latest                       |
|               | Product ISI Marked                                  | Yes  |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole) | 2 P with 1 PP  |



| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
|               | Rated voltage (in Volts)  | 240 V, AC  |
|               | Rated Current (in Ampere)   | 63   |
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता   | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122, Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 10              | 60                           |

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 20 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|------------------------------------|--|
| STANDARDS     | Conformity of the specification    | as per IS/IEC 60898 : PART 1:2015 latest                       |
|               | Product ISI Marked                 | Yes  |

| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole)                                       | 2 P with 1 PP  |
|               | Rated voltage (in Volts)  | 240 V, AC  |
|               | Rated Current (in Ampere)   | 40   |
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता   | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|---|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122, Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 20              | 60                           |

### MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 10 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

### Technical Specifications/तकनीकी विशिष्टियाँ

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|------------------------------------|--|
| STANDARDS     | Conformity of the specification    | as per IS/IEC 60898 : PART 1:2015 latest                       |

| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
|               | Product ISI Marked  | Yes  |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole)                                       | 2 P with 1 PP  |
|               | Rated voltage (in Volts)  | 240 V, AC  |
|               | Rated Current (in Ampere)   | 32   |
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता  | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122,Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 10              | 60                           |

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 10 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|------------------------------------|--|
|---------------|------------------------------------|--|

| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| STANDARDS     | Conformity of the specification   | as per IS/IEC 60898 : PART 1:2015 latest                       |
|               | Product ISI Marked  | Yes  |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole)                                       | 2 P with 1 PP  |
|               | Rated voltage (in Volts)  | 240 V, AC  |
|               | Rated Current (in Ampere)   | 16   |
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता  | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122,Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 10              | 60                           |

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 10 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| STANDARDS     | Conformity of the specification   | as per IS/IEC 60898 : PART 1:2015 latest                       |
|               | Product ISI Marked  | Yes  |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole)                                       | 2 P with 1 PP  |
|               | Rated voltage (in Volts)  | 240 V, AC  |
|               | Rated Current (in Ampere)   | 6  |
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता  | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122,Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 10              | 60                           |

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 10 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| STANDARDS     | Conformity of the specification   | as per IS/IEC 60898 : PART 1:2015 latest                       |
|               | Product ISI Marked  | Yes  |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole)                                       | 2 P with 1 PP  |
|               | Rated voltage (in Volts)  | 240 V, AC  |
|               | Rated Current (in Ampere)   | 2  |
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता  | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122,Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 10              | 60                           |

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 20 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| STANDARDS     | Conformity of the specification   | as per IS/IEC 60898 : PART 1:2015 latest                       |
|               | Product ISI Marked  | Yes  |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole)                                       | 1 P  |
|               | Rated voltage (in Volts)  | 240 V, AC  |
|               | Rated Current (in Ampere)   | 32   |
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता  | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122,Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 20              | 60                           |

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 60 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| STANDARDS     | Conformity of the specification   | as per IS/IEC 60898 : PART 1:2015 latest                       |
|               | Product ISI Marked  | Yes  |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole)                                       | 1 P  |
|               | Rated voltage (in Volts)  | 240 V, AC  |
|               | Rated Current (in Ampere)   | 16   |
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता  | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122,Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 60              | 60                           |

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 60 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification



| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| STANDARDS     | Conformity of the specification   | as per IS/IEC 60898 : PART 1:2015 latest                       |
|               | Product ISI Marked  | Yes  |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole)                                       | 1 P  |
|               | Rated voltage (in Volts)  | 240 V, AC  |
|               | Rated Current (in Ampere)   | 6  |
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता  | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122,Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 60              | 60                           |

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 20 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम कटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| STANDARDS     | Conformity of the specification   | as per IS/IEC 60898 : PART 1:2015 latest                       |
|               | Product ISI Marked  | Yes  |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole)                                       | 1 P  |
|               | Rated voltage (in Volts)  | 240 V, AC  |
|               | Rated Current (in Ampere)   | 4  |
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता  | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122,Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 20              | 60                           |

**MCB - Miniature Circuit - Breakers For A.C. Operation As Per IS / IEC 60898 (Part 1) ( 20 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

|              |     |
|--------------|-----|
| Bis Required | Yes |
|--------------|-----|

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---|--|
| STANDARDS     | Conformity of the specification   | as per IS/IEC 60898 : PART 1:2015 latest                       |
|               | Product ISI Marked  | Yes  |
| RATING        | No. of pole (hint: "P" - Pole, "PP" Protected Pole)                                       | 1 P  |
|               | Rated voltage (in Volts)  | 240 V, AC  |
|               | Rated Current (in Ampere)   | 2  |
|               | Instantaneous tripping current type   | C  |
|               | Rated Short circuit capacity (in Ampere)  | 10000  |
| CONSTRUCTION  | Provision of steel sheet enclosure duly pretreated stove enamelled/powder coated for MCBs | Without enclosure  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता  | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122,Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 20              | 60                           |

### Miniature Circuit Breakers Distribution Boards As Per IS 13032 ( 3 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| Specification | Specification Name/विशिष्टि का नाम    | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य |
|---------------|---------------------------------------|--|
| GENERIC       | Rated voltage of MCB Board (in Volts) | 415  |

| Specification | Specification Name/विशिष्टि का नाम  | Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य    |
|---------------|---|---|
|               | Number of ways (in Nos)   | 12  |
|               | Rating of the Busbar (in Ampere)  | 100   |
|               | Material of Busbar  | Copper  |
| CONSTRUCTION  | Material Of MCB Board Boxes   | Mild Steel - Properly pretreated and stove enameled/Powder Coated |
|               | Thickness of material (in mm)   | 1.4 mm (MS sheet)   |
|               | Enclosure - Degree of Protection  | IP 43   |
|               | Method of operating MCB's   | Double Door (after opening of top cover)                          |
|               | Suitable to accommodates specified Number of poles  | Single Pole MCBs as outgoing and Double pole MCB as incoming      |
| CERTIFICATION | Availability of type test report from Govt. Lab/ NABL accredited lab / ILAC accredited lab to prove conformity of the specification | Yes. as per IS:13032:1991 latest                                  |

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

| S.No./क्र. सं. | Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी | Address/पता  | Quantity/मात्रा | Delivery Days/डिलीवरी के दिन |
|----------------|---|--|-----------------|------------------------------|
| 1              | Suneel Kumar  | 175122,Parbati -III Power Station Vill- Behali, Post-Larji Distt-Kullu | 3               | 60                           |

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

**1. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**2. Generic**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

### 3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद

पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**