

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	31-07-2025 11:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	31-07-2025 11:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	120 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Power
विभाग का नाम / Department Name	Na
संगठन का नाम / Organisation Name	Nhpc Limited
कार्यालय का नाम / Office Name	Salal Power Station Jyotipuram Reasi Jk
कुल मात्रा / Total Quantity	30185

बिड विवरण/Bid Details	
वस्तु श्रेणी /Item Category	HIGH TENSILE HEX HEAD BOLT, M6 X 30 MM , HIGH TENSILE HEX HEAD BOLT, M 8X15 MM , HIGH TENSILE HEX HEAD BOLT, M 8X20 , HIGH TENSILE HEX HEAD BOLTS , M8X30 , HT HEX HEAD BOLT M8X35 , HIGH TENSILE HEX HEAD BOLT, M 8 X 40 MM , HEX HD BOLT M 8x75 , HIGH TENSILE HEX BOLT, M 10X16 , HIGH TENSILE HEX BOLT, M 10X20 , HIGH TENSILE HEX HEAD BOLTS , M10X45 , HIGH TENSILE HEX HEAD BOLT, M 12X35 MM , HEXAGONAL BOLT M- 12X45 , HIGH TENSILE HEX HEAD BOLT, M 12X50 , HIGH TENSILE HEX BOLT, M 12X60 , HIGH TENSILE HEX BOLTS STUDS WITH NUT, M 12X70 , HIGH TENSILE HEX BOLT, M 12X80 , HIGH TENSILE HEX HEAD BOLT M16 X 25 MM , HIGH TENSILE HEX BOLT M16X30 , HIGH TENSILE HEX HEAD BOLT, M16 X 45X 2 MM , HIGH TENSILE HEX HEAD BOLT, M16 X 60 MM , HIGH TENSILE HEX HEAD BOLT, M16X70 , HIGH TENSILE HEX HEAD BOLT, M16 X 75 MM , HIGH TENSILE HEX HEAD BOLT, M16 X 80 MM , HIGH TENSILE HEX HEAD BOLT WITH NUT ,M16 X 85 MM , HIGH TENSILE HEX HEAD BOLTS , M16X90 , HT HEX HEAD NUT BOLT M16X100 MM , HIGH TENSILE HEX BOLT, M 20X50 , HIGH TENSILE HEX HEAD BOLT, M20 X 70 MM , HEX HAND BOLT GR8 M20X90 , HIGH TENSILE HEX HEAD BOLT M24X70 , HIGH TENSILE HEX BOLT, M 30X65 , HIGH TENSILE HEX HEAD BOLTS , M 42X95 , HIGH TENSILE STUDS M8 X 45 , STUD M10X45, A-15, B-10, C-20 , STUD M10XX45 HIGH TENSILE STUDS GRADE 10.9 , HIGH TENSILE STUDS , HIGH TENSILE STUDS, M 16X70, A 30, B 10, C 30 , HIGH TENSILE STUDS, M 16X75, A 30, B 15, C 30 , STUD M16XX 80 , HIGH TENSILE STUDS M 16X85, A 30, B 15, C 40 , HIGH TENSILE STUDS M30X135, , S.S. STUD M16X60 , S.S. STUD M16X70, BOTH END THREADED , S.S. STUD M16X 95 , S.S. STUD M20X90 , S.S.CSK SCREW M 8X 20 , H.T HEX. NUT M6, , HEX NUT 8MM , HIGH TENSILE HEX NUT M 10, PLATING AUTO BLACK , HEX NUT 12MM , HIGH TENSILE HEX NUT M 16 , HIGH TENSILE HEX NUT M 20 , NUT M 24 , HIGH TENSILE HEX NUT M 30 , NUT M-36 , S-S NUT M 16 , S-S HEX NUT M 20 , PLAIN WASHER 8 MM , PLAIN WASHER 10MM , PLAIN WASHER 12MM , PLAIN WASHER 14MM , PLAIN WASHER 16 MM , PLAIN WASHER 18MM , PLAIN WASHER 22MM , PLAIN WASHER 26MM , PLAIN WASHER 30MM , THREADED ROD M12 , THREADED ROD M16 , THREADED ROD M20 , THREADED ROD M24 , THREADED ROD M30
	HIGH TENSILE HEX HEAD BOLT,FULL THREADED,GRADE 10.9 M6 X 30 MM, HIGH TENSILE HEX HEAD BOLT, FULL THREADED,GRADE 10.9 M 8X15 MM, HIGH TENSILE HEX HEAD BOLT, FULL THREADED,GRADE 10.9 M 8X20, HIGH TENSILE HEX HEAD BOLTS , FULL THREADED GRADE 10.9,BOLT M8X30, HT HEX HEAD BOLT M8X35 CONFORMING TO IS 1364, GRADE 10.9, HIGH TENSILE HEX HEAD BOLT,FULL THREADED, GRADE 10.9 M 8 X 40 MM, HEX HD BOLT M 8*75, HIGH TENSILE HEX BOLT, FULL THREADED,AUTO BLACK PLATING,GRADE 10.9 M 10X16, HIGH TENSILE HEX BOLT, FULL THREADED,AUTO BLACK PLATING,GRADE 10.9 M 10X20, HIGH TENSILE HEX HEAD BOLTS , FULL THREADED,, GRADE 10.9, BOLT M10X45, HIGH TENSILE HEX HEAD BOLT, FULL THREADED,GRADE 10.9 M 12X35 MM, HEXAGONAL BOLT M- 12X45 MM WITH NUT & TWO PLAIN WASHERS, HIGH TENSILE HEX HEAD BOLT, FULL THREADED,GRADE 10.9 M 12X50, HIGH TENSILE HEX BOLT, FULL THREADED, GRADE 10.9 M 12X60, HIGH TENSILE HEX BOLTS STUDS WITH NUT, FULL THREADED M 12X70, HIGH

बिड विवरण / Bid Details	TENSILE HEX BOLT,M 12X80 CONFIRMING TO IS 1364 FULL THREADED, GRADE 10.9, HIGH TENSILE HEX HEAD
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	BOLT,FULL THREADED, GRADE 10.9 M16 X 25 MM, HIGH TENSILE HEX BOLT M16X30, HIGH TENSILE HEX HEAD BOLT,FULL THREADED,GRADE 10.9 M16 X 45X 2 MM, HIGH TENSILE HEX HEAD BOLT,FULL THREADED, GRADE 10.9 M16 X 60 MM, HIGH TENSILE HEX HEAD BOLT, FULL THREADED, GRADE10.9 BOLT M16X70, HIGH TENSILE HEX HEAD BOLT,FULL THREADED ,GRADE 10.9 M16 X 75 MM, HIGH TENSILE HEX HEAD BOLT,FULL THREADED, GRADE 10.9 M16 X 80 MM, HIGH TENSILE HEX HEAD BOLT WITH NUT ,M16 X 85 MM, HIGH TENSILE HEX HEAD BOLTS , FULL THREADED, GRADE 10.9 BOLT M16X90, HT HEX HEAD NUT BOLT M16X100 MM, HIGH TENSILE HEX BOLT, FULL THREADED, GRADE 10.9 M 20X50, HIGH TENSILE HEX HEAD BOLT,FULL THREADED ,GRADE 10.9 M20 X 70 MM, HEX HAND BOLT GR8 M20X90, HIGH TENSILE HEX HEAD BOLT M24X70 , FULL THREADED, GRADE 10.9,, HIGH TENSILE HEX BOLT, FULL THREADED,AUTO BLACK PLATING,GRADE 10.9 M 30X65, HEX HEAD BOLTS , M 42X95 THREAD PITCH 4.5 MM WITH COLLAR THREAD, HIGH TENSILE STUDS M8 X 45 ,GRADE 10.9 ,BOTH END THREADED, A=15, B =10 C=20, STUD M10X45, A=15, B=10, C=20 (GRADE 10.9, BOTH END THREAD), STUD M10XX45(HIGH TENSILE STUDS GRADE 10.9), TENSILE STUDS, GRADE 10.9 BOTH END THREADED ,STUD M16X65, A=30, B=10, C=25., HIGH TENSILE STUDS,AUTO BLACK PLATING,GRADE 10.9 M 16X70, A 30, B 10, C 30, HIGH TENSILE STUDS,AUTO BLACK PLATING,GRADE 10.9 M 16X75, A 30, B 15, C 30, STUD M16XX 80(HIGH TENSILE STUDS GRADE 10.9), HIGH TENSILE STUDS,AUTO BLACK PLATING,GRADE 10.9 M 16X85, A 30, B 15, C 40, HIGH TENSILE STUDS M30X135, A=30, B=25, C=80 GRADE 12.9 BOTH END THREADED, S.S. STUD M16X60, S.S. STUD M16X70, BOTH END THREADED, AISI 304, A=20, B=15, C=35, S.S. STUD M16X 95, S.S. STUD M20X90, BOTH END THREADED, AISI 304, A=30, B=20, C=40, S.S.CSK SCREW M 8X 20, H.T HEX. NUT M6,AUTO BLACK PLATING, GRADE 10.9, HEX NUT 8MM, HIGH TENSILE HEX NUT M 10, PLATING AUTO BLACK, GRADE 10.9, HEX NUT 12MM, HIGH TENSILE HEX NUT M 16, HIGH TENSILE HEX NUT M 20, NUT M 24, HIGH TENSILE HEX NUT M 30, PLATING AUTO BLACK, GRADE 10.9, NUT M-36, S/S NUT M 16, S/S HEX NUT M 20, PLAIN WASHER 8 MM (ID),12 G THICK PLATING AUTO BLACK,GRADE 10.9, PLAIN WASHER 10MM (ID), 12 G THICK PLATING AUTO BLACK, GRADE 10.9, PLAIN WASHER 12MM (ID), 12 G THICK PLATING AUTO BLACK, GRADE 10.9, PLAIN WASHER 14MM (ID), 12 G THICK PLATING AUTO BLACK, GRADE 10.9, PLAIN WASHER 16 MM (ID),12 G THICK PLATING AUTO BLACK,GRADE 10.9, PLAIN WASHER 18MM (ID), 12 G THICK PLATING AUTO BLACK, GRADE 10.9, PLAIN WASHER 22MM (ID), 12 G THICK PLATING AUTO BLACK, GRADE 10.9, PLAIN WASHER 26MM (ID), PLAIN WASHER 30MM (ID), 12 G THICK PLATING AUTO BLACK, GRADE 10.9, THREADED ROD M12, THREADED ROD M16, THREADED ROD M20, THREADED ROD M24, THREADED ROD M30
	Searched String: HIGH TENSILE HEX HEAD BOLT,FULL THREADED,GRADE 10.9 M6 X 30 MM Category not available on GeM for the text string uploaded by the buyer Searched String: HIGH TENSILE HEX HEAD BOLT, FULL THREADED,GRADE 10.9 M 8X15 MM

बिड विवरण / Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: HIGH TENSILE HEX HEAD BOLT, FULL THREADED, GRADE 10.9 M 8X20 Category not available on GeM for the text string uploaded by the buyer Searched String: HIGH TENSILE HEX HEAD BOLTS , FULL THREADED GRADE 10.9, BOLT M8X30 Hexagon Head Bolts as per IS 1363, Square Head Bolts Searched String: HT HEX HEAD BOLT M8X35 CONFORMING TO IS 1364, GRADE 10.9 Hexagonal Head Bolts ISI marked to IS 1364 (Part 1), Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Hexagon Head Screws-IS:1363 Searched String: HIGH TENSILE HEX HEAD BOLT, FULL THREADED, GRADE 10.9 M 8 X 40 MM Category not available on GeM for the text string uploaded by the buyer Searched String: HEX HD BOLT M 8*75 Equipment Camouflage Nets (Jute) Searched String: HIGH TENSILE HEX BOLT, FULL THREADED, AUTO BLACK PLATING, GRADE 10.9 M 10X16 Category not available on GeM for the text string uploaded by the buyer Searched String: HIGH TENSILE HEX BOLT, FULL THREADED, AUTO BLACK PLATING, GRADE 10.9 M 10X20 Category not available on GeM for the text string uploaded by the buyer Searched String: HIGH TENSILE HEX HEAD BOLTS , FULL THREADED,, GRADE 10.9, BOLT M10X45 Hexagon Head Bolts as per IS 1363, Square Head Bolts Searched String: HIGH TENSILE HEX HEAD BOLT, FULL THREADED, GRADE 10.9 M 12X35 MM Category not available on GeM for the text string uploaded by the buyer Searched String: HEXAGONAL BOLT M- 12X45 MM WITH NUT & TWO PLAIN WASHERS Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Plain Washer as per IS 2016, Stud with Nuts, Studs-IS:1862 Searched String: HIGH TENSILE HEX HEAD BOLT, FULL THREADED, GRADE 10.9 M 12X50 Category not available on GeM for the text string uploaded by the buyer

बिड विवरण/Bid Details	Searched String: HIGH TENSILE HEX BOLT, FULL THREADED, GRADE 10.9 M 12X60
	Category not available on GeM for the text string uploaded by the buyer Searched String: HIGH TENSILE HEX BOLTS STUDS WITH NUT, FULL THREADED M 12X70 Stud with Nuts, Studs-IS:1862, Hexagon Head Bolts as per IS 1363 Searched String: HIGH TENSILE HEX BOLT,M 12X80 CONFIRMING TO IS 1364 FULL THREADED, GRADE 10.9 Category not available on GeM for the text string uploaded by the buyer Searched String: HIGH TENSILE HEX HEAD BOLT,FULL THREADED, GRADE 10.9 M16 X 25 MM Category not available on GeM for the text string uploaded by the buyer Searched String: HIGH TENSILE HEX BOLT M16X30 Hexagonal Head Bolts (V2) ISI marked to IS 1363 (Part 1), High Mast Lighting Tower for large area with LED Flood Lighting System, Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, Hexagonal Socket Head Cap Screw, 3155 Series - Hexagonal Head Bolt (HAL), Allen Bolt, High Strength Structural Bolts - IS 3757, Hexagon Head Bolts as per IS 1363, Hexagonal Black Bolt as per BS : 916, Video Conferencing Camera / Web Camera (V2) Searched String: HIGH TENSILE HEX HEAD BOLT,FULL THREADED,GRADE 10.9 M16 X 45X 2 MM Category not available on GeM for the text string uploaded by the buyer Searched String: HIGH TENSILE HEX HEAD BOLT,FULL THREADED, GRADE 10.9 M16 X 60 MM Category not available on GeM for the text string uploaded by the buyer Searched String: HIGH TENSILE HEX HEAD BOLT, FULL THREADED, GRADE10.9 BOLT M16X70 Hexagon Head Bolts as per IS 1363 Searched String: HIGH TENSILE HEX HEAD BOLT,FULL THREADED ,GRADE 10.9 M16 X 75 MM Category not available on GeM for the text string uploaded by the buyer Searched String: HIGH TENSILE HEX HEAD BOLT,FULL THREADED, GRADE 10.9 M16 X 80 MM Category not available on GeM for the text string uploaded by the buyer Searched String: HIGH TENSILE HEX HEAD BOLT WITH NUT ,M16 X 85 MM

विड विवरण / Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: HIGH TENSILE HEX HEAD BOLTS , FULL THREADED, GRADE 10.9 BOLT M16X90 Hexagon Head Bolts as per IS 1363, Square Head Bolts Searched String: HT HEX HEAD NUT BOLT M16X100 MM Coach Bolt, Nut and Washer (BHEL), Stud with Nuts, Hexagonal Head Bolts (V2) ISI marked to IS 1363 (Part 1), Hexagon Head Bolts as per IS 1363, 3155 Series - Hexagonal Head Bolt (HAL), Bolt / Bullet Seal, Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, Mice and Rat Restrainers, Hexagon Nuts (V2) ISI marked to IS 1363 (Part 3), Locking Compression Plates (V2) Searched String: HIGH TENSILE HEX BOLT, FULL THREADED, GRADE 10.9 M 20X50 High Strength Structural Nuts - IS 6623 Searched String: HIGH TENSILE HEX HEAD BOLT,FULL THREADED ,GRADE 10.9 M20 X 70 MM Category not available on GeM for the text string uploaded by the buyer Searched String: HEX HAND BOLT GR8 M20X90 Hexagonal Head Bolts (V2) ISI marked to IS 1363 (Part 1), Towel Hand Cotton Turkish (IAF), Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, Hexagon Head Bolts as per IS 1363, 3155 Series - Hexagonal Head Bolt (HAL), Sofa Set (Steel Tube), Hexagonal Black Bolt as per BS : 916, File/Folder (V3), Hexagonal Head Bolts ISI marked to IS 1364 (Part 1), Towels - Hotel Linen Searched String: HIGH TENSILE HEX HEAD BOLT M24X70 , FULL THREADED, GRADE 10.9, Hexagon Head Bolts as per IS 1363, Square Head Bolts Searched String: HIGH TENSILE HEX BOLT, FULL THREADED,AUTO BLACK PLATING,GRADE 10.9 M 30X65 Category not available on GeM for the text string uploaded by the buyer Searched String: HEX HEAD BOLTS , M 42X95 THREAD PITCH 4.5 MM WITH COLLAR THREAD 4.5mm Narrow D.C. Plate with corresponding screws, Square Head Bolts, LCP 4.5mm Narrow Compression Plate with corresponding screws, Picket Steel as per DGS&D Drawing Searched String: HIGH TENSILE STUDS M8 X 45 ,GRADE 10.9 ,BOTH END THREADED, A=15, B =10 C=20 Category not available on GeM for the text string uploaded by the buyer Searched String: STUD M10X45, A=15, B=10, C=20 (GRADE 10.9, BOTH END THREAD)

विड विवरण / Bid Details	Category not available on GeM for the text string uploaded by the buyer
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	Searched String: STUD M10XX45(HIGH TENSILE STUDS GRADE 10.9)
	Electrical Terminals as per IS 8309, Hexagonal Socket Head Cap Screw, plastic bottles water bottle with carry bag for cpmf, Scantling teak wood
	Searched String: TENSILE STUDS, GRADE 10.9 BOTH END THREADED ,STUD M16X65, A=30, B=10, C=25.
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: HIGH TENSILE STUDS,AUTO BLACK PLATING,GRADE 10.9 M 16X70, A 30, B 10, C 30
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: HIGH TENSILE STUDS,AUTO BLACK PLATING,GRADE 10.9 M 16X75, A 30, B 15, C 30
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: STUD M16XX 80(HIGH TENSILE STUDS GRADE 10.9)
	Inflatable Tent, Studs-IS:1862, Stud with Nuts, Electrical Terminals as per IS 8309
	Searched String: HIGH TENSILE STUDS,AUTO BLACK PLATING,GRADE 10.9 M 16X85, A 30, B 15, C 40
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: HIGH TENSILE STUDS M30X135, A=30, B=25, C=80 GRADE 12.9 BOTH END THREADED
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: S.S. STUD M16X60
	S type load Cell, S-Curve Urethral Dilator Set, 2,4,6-Tris(2-pyridyl)-s-triazine, Clerk Maxwell Apparatus, M S Angle (V2) As Per Is 808, Thermal Paper Roll, M S Structural Plate as per IS 2062, M S Casing For Pulverised Fuel Mill (BHEL), M S Sheet as per IS 1079 (Unit - Mass), Parallel Bar - Outdoor Gym Equipment
	Searched String: S.S. STUD M16X70, BOTH END THREADED, AISI 304, A=20, B=15, C=35
	Category not available on GeM for the text string uploaded by the buyer
	Searched String: S.S. STUD M16X 95
	S type load Cell, S-Curve Urethral Dilator Set, Humidity Chamber, 2,4,6-Tris(2-pyridyl)-s-triazine, Clerk Maxwell Apparatus, Heavy Duty Pipe Wrench as per IS 4003, M S Angle (V2) As Per Is 808, Customised Envelopes, M S Structural Plate as per IS 2062, M S Casing For Pulverised

बिड विवरण/Bid Details	Fuel Mill (BHEL)
	Searched String: S.S. STUD M20X90, BOTH END THREADED, AISI 304, A=30, B=20, C=40 Category not available on GeM for the text string uploaded by the buyer Searched String: S.S.CSK SCREW M 8X 20 M S Structural Plate as per IS 2062, M S Angle (V2) As Per Is 808, M S Casing For Pulverised Fuel Mill (BHEL), Parallel Bar - Outdoor Gym Equipment, M S Sheet as per IS 1079 (Unit - Mass), MS Structural Plate as per IS 2062 (Unit - Quantity), water baths, MS Sheet as per IS 1079, Personal Protective Equipment (V2) Safety footwear As per IS 15298 (Part 2), Jersey Mens Woollen 'V' Neck (Defence) Searched String: H.T HEX. NUT M6,AUTO BLACK PLATING, GRADE 10.9 Category not available on GeM for the text string uploaded by the buyer Searched String: HEX NUT 8MM Nut Hex for Turbine (NTPC), Double Hex Sockets, Vascular Grafts - Synthetic, Hex Reducing Nipple, Desktop Computers, Hexagon Nuts (V2) ISI marked to IS 1363 (Part 3), High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, Folding Hex Key Set, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1) Searched String: HIGH TENSILE HEX NUT M 10, PLATING AUTO BLACK, GRADE 10.9 Category not available on GeM for the text string uploaded by the buyer Searched String: HEX NUT 12MM Nut Hex for Turbine (NTPC), Double Hex Sockets, Electrical Terminals as per IS 8309, Hex Reducing Nipple, Hexagon Nuts (V2) ISI marked to IS 1363 (Part 3), Vascular Grafts - Synthetic, Hardwares (Hex Bolt & Spring Channel Nut, Anchor Fastener, Washer, Spring Washer) - BHEL, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Folding Hex Key Set, Orthopedic Instruments - Bone Lever Searched String: HIGH TENSILE HEX NUT M 16 Stud with Nuts, Hexagonal Socket Head Cap Screw, High Mast Lighting Tower for large area with LED Flood Lighting System, Studs-IS:1862 Searched String: HIGH TENSILE HEX NUT M 20 Mild Steel Sheet, Stud with Nuts, Hexagonal Socket Head Cap Screw, HT Tape, Studs-IS:1862 Searched String: NUT M 24 Paraquat Dichloride 24% SL, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Rivet Nut (BHEL),

बिड विवरण / Bid Details	Metal Free Optical Fibre Cable, Lock Nut (BHEL), Waste Containers and Accessories - Domestic (V2), Span Bolt and Nut, Ladders as per IS 3696, Nut Cone End-BHEL, Bucket Mop Wringer Trolley
	Searched String: HIGH TENSILE HEX NUT M 30, PLATING AUTO BLACK, GRADE 10.9 Category not available on GeM for the text string uploaded by the buyer Searched String: NUT M-36 monocrotophos 36% SL as per IS:8074, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Rivet Nut (BHEL), Ladders as per IS 3696, Lock Nut (BHEL), Waste Containers and Accessories - Domestic (V2), Span Bolt and Nut, Bucket Mop Wringer Trolley, Nut Cone End-BHEL, water baths Searched String: S/S NUT M 16 M S Angle (V2) As Per Is 808, M S Structural Plate as per IS 2062, M S Casing For Pulverised Fuel Mill (BHEL), S type load Cell, M S Sheet as per IS 1079 (Unit - Mass), S-Curve Urethral Dilator Set, MS Sheet as per IS 1079, Parallel Bar - Outdoor Gym Equipment, 2,4,6-Tris(2-pyridyl)-s-triazine, Spirometer Searched String: S/S HEX NUT M 20 M S Structural Plate as per IS 2062, M S Angle (V2) As Per Is 808, M S Casing For Pulverised Fuel Mill (BHEL), Parallel Bar - Outdoor Gym Equipment, M S Sheet as per IS 1079 (Unit - Mass), MS Structural Plate as per IS 2062 (Unit - Quantity), water baths, MS Sheet as per IS 1079, Rain Coat & Suit, Jersey Mens Woollen 'V' Neck (Defence) Searched String: PLAIN WASHER 8 MM (ID),12 G THICK PLATING AUTO BLACK,GRADE 10.9 Category not available on GeM for the text string uploaded by the buyer Searched String: PLAIN WASHER 10MM (ID), 12 G THICK PLATING AUTO BLACK, GRADE 10.9 Plain Washer as per IS 2016 Searched String: PLAIN WASHER 12MM (ID), 12 G THICK PLATING AUTO BLACK, GRADE 10.9 Plain Washer as per IS 2016 Searched String: PLAIN WASHER 14MM (ID), 12 G THICK PLATING AUTO BLACK, GRADE 10.9 Plain Washer as per IS 2016 Searched String: PLAIN WASHER 16 MM (ID),12 G THICK PLATING AUTO BLACK,GRADE 10.9 Category not available on GeM for the text string uploaded by the buyer Searched String: PLAIN WASHER 18MM (ID), 12 G THICK PLATING AUTO BLACK, GRADE 10.9

बिड विवरण / Bid Details	Category not available on GeM for the text string uploaded by the buyer
	Searched String: PLAIN WASHER 22MM (ID), 12 G THICK PLATING AUTO BLACK, GRADE 10.9 Category not available on GeM for the text string uploaded by the buyer Searched String: PLAIN WASHER 26MM (ID) Plain Washer as per IS 2016, Endotracheal Tubes (V2), Studs-IS:1862, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Waste Pipe, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, Laboratory Desiccator (V2), Cast Iron Bench, Disposable Tracheostomy Tube (V2) Searched String: PLAIN WASHER 30MM (ID), 12 G THICK PLATING AUTO BLACK, GRADE 10.9 Category not available on GeM for the text string uploaded by the buyer Searched String: THREADED ROD M12 Threaded Pipe Adapter, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Tungsten Rod, Stainless Steel Threaded Fasteners as per IS 1367(Part 14), Maddox rod, Waste Containers and Accessories - Domestic (V2), Premium Threaded Tubing (Petroleum Industry), Cleaning Duster (V3), Tie rod assembly, Bucket Mop Wringer Trolley Searched String: THREADED ROD M16 Threaded Pipe Adapter, Desktop Computers, Tungsten Rod, Stainless Steel Threaded Fasteners as per IS 1367(Part 14), Maddox rod, Cleaning Duster (V3), Premium Threaded Tubing (Petroleum Industry), Square Head Bolts, Tie rod assembly, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection Searched String: THREADED ROD M20 Threaded Pipe Adapter, Cleaning Duster (V3), Tungsten Rod, Square Head Bolts, Maddox rod, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Premium Threaded Tubing (Petroleum Industry), Stainless Steel Threaded Fasteners as per IS 1367(Part 14), Tie rod assembly, Waste Containers and Accessories - Domestic (V2) Searched String: THREADED ROD M24 Threaded Pipe Adapter, Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Tungsten Rod, Stainless Steel Threaded Fasteners as per IS 1367(Part 14), Maddox rod, Waste Containers and Accessories - Domestic (V2), Premium Threaded Tubing (Petroleum Industry), Square Head Bolts, Tie rod assembly, Bucket Mop Wringer Trolley Searched String: THREADED ROD M30 Threaded Pipe Adapter, Online UPS (V2), Tungsten Rod, Earthing Rod as per IS 3043, Maddox rod, Waste Containers and Accessories - Domestic (V2), Premium Threaded Tubing

	(Petroleum Industry), Foot Operated Pedal Bin or Bucket for Bio - Medical Waste Collection, Tie rod assembly, water baths
बिड विवरण/Bid Details	
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	- Hexagonal Head Bolts (V2) ISI marked to IS 1363 (Part 1) - Hexagonal Head Bolts ISI marked to IS 1364 (Part 1) - Hexagonal Head Screws (V2) ISI marked to IS 1363 (Part 2)
बीओक्यू शीर्षक / BOQ Title	Purchase of various fasteners
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	6 Lakh (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Exemption for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Exemption for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/ Document required from seller	Experience Criteria,Bidder Turnover,Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेन् है/ Do you want to show documents uploaded by bidders to all bidders participated in bid?	No
बिड लगाने की समय-सीमा बढ़ाने के लिए आवश्यक न्यूनतम सहभागी विक्रेताओं की संख्या। / Minimum number of bids required to disable automatic bid extension	3
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
बिड से रिवर्स नीलामी सक्रिय किया/ Bid to RA enabled	No
बिड का प्रकार/ Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/ Primary product category	HIGH TENSILE STUDS M30X135,
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय / Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/ Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	1348205

बिड विवरण/Bid Details	
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
वित्तीय दस्तावेज की आवश्यकता है / Financial Document Required	Yes
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	27000

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b).ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

NHPC Ltd
Salal Power Station Jyotipuram Reasi JK, NA
(Nhpc Ltd.)

विभाजन/Splitting

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	Yes
--	-----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
3. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking exemption from Experience Criteria, shall upload the supporting documents to prove his eligibility for exemption.
4. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
7. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
8. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and

based on competitive prices received in Bid / RA process.

एक्सेल में अपलोड किए जाने की आवश्यकता /Excel Upload Required :

Price Breakup - [1751605125.xlsx](#)

HIGH TENSILE HEX HEAD BOLT, M6 X 30 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	250	45

HIGH TENSILE HEX HEAD BOLT, M 8X15 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	400	45

HIGH TENSILE HEX HEAD BOLT, M 8X20

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	400	45

HIGH TENSILE HEX HEAD BOLTS , M8X30

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	200	45

HT HEX HEAD BOLT M8X35

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	300	45

HIGH TENSILE HEX HEAD BOLT, M 8 X 40 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	300	45

HEX HD BOLT M 8x75

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	150	45

HIGH TENSILE HEX BOLT, M 10X16

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	400	45

HIGH TENSILE HEX BOLT, M 10X20

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	400	45

HIGH TENSILE HEX HEAD BOLTS , M10X45

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	150	45

HIGH TENSILE HEX HEAD BOLT, M 12X35 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	150	45

HEXAGONAL BOLT M- 12X45

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

HIGH TENSILE HEX HEAD BOLT, M 12X50

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

HIGH TENSILE HEX BOLT, M 12X60

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

HIGH TENSILE HEX BOLTS STUDS WITH NUT, M 12X70

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

HIGH TENSILE HEX BOLT, M 12X80

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	200	45

HIGH TENSILE HEX HEAD BOLT M16 X 25 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

HIGH TENSILE HEX BOLT M16X30

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	200	45

HIGH TENSILE HEX HEAD BOLT, M16 X 45X 2 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	200	45

HIGH TENSILE HEX HEAD BOLT, M16 X 60 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

HIGH TENSILE HEX HEAD BOLT, M16X70

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

HIGH TENSILE HEX HEAD BOLT, M16 X 75 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

HIGH TENSILE HEX HEAD BOLT, M16 X 80 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

HIGH TENSILE HEX HEAD BOLT WITH NUT ,M16 X 85 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

HIGH TENSILE HEX HEAD BOLTS , M16X90

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

HT HEX HEAD NUT BOLT M16X100 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	150	45

HIGH TENSILE HEX BOLT, M 20X50

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	250	45

HIGH TENSILE HEX HEAD BOLT, M20 X 70 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	200	45

HEX HAND BOLT GR8 M20X90

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	100	45

HIGH TENSILE HEX HEAD BOLT M24X70

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	150	45

HIGH TENSILE HEX BOLT, M 30X65

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	100	45

HIGH TENSILE HEX HEAD BOLTS , M 42X95

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	50	45

HIGH TENSILE STUDS M8 X 45

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

STUD M10X45, A-15, B-10, C-20

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	150	45

STUD M10XX45 HIGH TENSILE STUDS GRADE 10.9

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	100	45

HIGH TENSILE STUDS

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	1000	45

HIGH TENSILE STUDS, M 16X70, A 30, B 10, C 30

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	200	45

HIGH TENSILE STUDS, M 16X75, A 30, B 15, C 30

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	200	45

STUD M16XX 80

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

HIGH TENSILE STUDS M 16X85, A 30, B 15, C 40

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

HIGH TENSILE STUDS M30X135,

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

S.S. STUD M16X60

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	200	45

S.S. STUD M16X70, BOTH END THREADED

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

S.S. STUD M16X 95

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	200	45

S.S. STUD M20X90

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	200	45

S.S.CSK SCREW M 8X 20

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	1500	45

H.T HEX. NUT M6,

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	100	45

HEX NUT 8MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

HIGH TENSILE HEX NUT M 10, PLATING AUTO BLACK

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	200	45

HEX NUT 12MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	1000	45

HIGH TENSILE HEX NUT M 16

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	1500	45

HIGH TENSILE HEX NUT M 20

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	1000	45

NUT M 24

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

HIGH TENSILE HEX NUT M 30

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

NUT M-36

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	200	45

S-S NUT M 16

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	1000	45

S-S HEX NUT M 20

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	1000	45

PLAIN WASHER 8 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	1000	45

PLAIN WASHER 10MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

PLAIN WASHER 12MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	1000	45

PLAIN WASHER 14MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

PLAIN WASHER 16 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

PLAIN WASHER 18MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	1000	45

PLAIN WASHER 22MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	1000	45

PLAIN WASHER 26MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	500	45

PLAIN WASHER 30MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	200	45

THREADED ROD M12

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषेती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परिषेती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	5	45

THREADED ROD M16

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	10	45

THREADED ROD M20

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	10	45

THREADED ROD M24

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परिषी/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परिषी/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	5	45

THREADED ROD M30

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Ajay Kumar	182312,Administrative Building-II, Salal Power station colony, Jyotipuram, Distt. Reasi, J&K	5	45

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions**1. Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

NHPC Ltd
payable at
SBI Jyotipuram

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

3. Forms of EMD and PBG

Bidders can also submit the EMD with Banker's Cheque in favour of

NHPC Ltd.
payable at
SBI Jyotipuram

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

4. Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

5. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

6. Generic

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. [Click here to view the file](#)

7. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

8. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1- **Qualification Requirement:** Bidder should have supplied at least two similar equipment / system/Item of same capacity or higher in previous (7) years to any Central / State Govt Organization / PSU / Public Listed Company/ Private limited with TDS certificate.

Similar equipment / system/Item means "any items from the BoQ". Two means "two supply orders of similar equipment / system/item".

- 2- Material test certificate of all items is mandatory as per the relevant IS code as per the technical specification of the material along with dispatch documents

9. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file](#).

10. Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.

7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms

of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---