



Bid Number/बोली क्रमांक (बिड संख्या): GEM/2024/B/5090904 Dated/दिनांक : 12-07-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण		
Bid End Date/Time/बिड बंद होने की तारीख/समय	27-07-2024 12:00:00	
Bid Opening Date/Time/बिंड खुलने की तारीख/समय	27-07-2024 12:30:00	
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)	
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Power	
Department Name/विभाग का नाम	Na	
Organisation Name/संगठन का नाम	Nhpc Limited	
Office Name/कार्यालय का नाम	Dibang Multipurpose Project Roing	
Total Quantity/कुल मात्रा	435	
ltem Category/मद केटेगरी	Sofas (V2) (Q3) , Side Table (Q3) , Revolving Chair (V3) (Q2) , Metal Beds (V2) (Q3) , Almirah Steel (V2) (Q3) , Dressing Table (Q3) , Chair Office (V2) (Q3) , Executive Table (V2) (Q3) , High end Office Table / Desk Furniture Set / Suit (Q3) , Executive Computer Table (Q3)	
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	31 Lakh (s)	
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes	
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Past Performance,Bidder Turnover,Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer	
Past Performance/विगत प्रदर्शन	50 %	
Bid to RA enabled/बिंड से रिवर्स नीलामी सक्रिय किया	No	
Type of Bid/बिंड का प्रकार	Two Packet Bid	

Bid Details/बिड विवरण		
Primary product category	Metal Beds (V2)	
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	4 Days	
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No	
Estimated Bid Value/अनुमानित बिड मूल्य	6291165	
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation	

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाईजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	126000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%)/ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months)/ईपीबीजी की अपेक्षित अवधि (महीने).	15

- (a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।
- (b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी:

NHPC Limited

NHPC Office Complex, Sector-33, Faridabad, Haryana-121003

(Nhpc Limited)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

Reserved for Make In India products

Reserved for Make In India products	Yes
MSE Purchase Proference/एमएमई खीर तीग्रज	

MSE Purchase Preference/एमएसइ खराद वरायता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

- 1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
- 4. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
- 5. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents
- 6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

7. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Sofas (V2) (5 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Total Number of Seats in the Sofa Set	3
	Number of Single Seater Units (Nos)	No Single Seater Unit
	Number of Two Seater Units (Nos)	No Two Seater Unit
	Number of Three Seater Units (Nos)	1
	Number of Four Seater Units (Nos)	No Four Seater Unit
	Frame Covering	Fully Upholstered
	Sofa Set is Foldable to use as bed	No
	Backrest Cushion Material	Foam
	Density of Cushion of Backrest Material (Kg/Cubic M)	32
	Covering Material for Seat and Backrest	Leatherite
MATERIAL	Frame Structure Material and size (±1 mm)	18 mm thick Teak Plywood
	Seat Cushion Material	Foam
	Density of Cushion of Seat Material ±3 (Kg/Cubic M)	35
	Type of Spring in the Base / Seating	Web suspension
DIMENSION	Length of Single Seater Units in mm (±5 mm)	N.A
	Length of Two Seater Units in mm (±10 mm)	N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Length of Three Seater Units in mm (±10 mm)	1980
	Length of Four Seater Units in mm (±10 mm)	N.A
	Depth of Sofa Units in mm (±10 mm)	775
	Sofa Height (Without Back Cushion) ±5 (mm)	400.0 (millimeter)
	Sofa Height (With Back Cushion) ±5 mm	800.0 (millimeter)
	Seat Cushion Length ±5 (mm)	1440
	Seat Cushion Width ±5 (mm)	530
	Seat Cushion Thickness ±3 (mm)	90
	Backrest Cushion Length ±5 (mm)	1755
	Backrest Cushion Width ±5 (mm)	425
WARRANTY	Warranty	1 - Year

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती / रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	5	30

Side Table (6 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Number of storage unit	Single storage
MATERIAL	Material of top ±2mm	25mm Teak wood
DIMENSION	Length of table top ±10mm	600 mm
	Depth of table ±10mm	500 mm
	Height of table ±10mm	650 mm
	Width of storage unit ±10mm	N.A
	Depth of storage unit ±10mm	N.A
	Height of smallest storage unit	N.A
	Height of Medium storage unit	N.A
	Height of largest storage unit	N.A
WARRANTY	Warrantee period in number of years	1

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	6	30

Revolving Chair (V3) (3 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL	Tilt mechanism	Swivel tilt mechanism
REQUIREMENT	Locking mechanism	Upright locking
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Fixed
	Backrest type	Tilting type
MATERIAL AND	Pedestal Base	Mild Steel
MATERIAL THICKNESS	Armrest Material	PU molded over metal insert
	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	50 mm
	Seat upholstery material	Leatherette
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	45 mm
	Backrest upholstery material	Leatherette
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)
DIMENSION	Minimum width of seat	450 mm
	Minimum depth of seat	400 mm
	Minimum width of backrest	450 mm
	Backrest height	Low back (350 to 450 mm)
	Minimum thickness of MS Plate Joining the understructure with Seat	3 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Brown
Upholstered material backrest color		Brown

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	3	30

Metal Beds (V2) (90 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Name/विशिष्टि का	Bid Requirement/बिंड के लिए आवश्यक (Allowed
नाम	Values)/अनुमत मूल्य
Structure of Metal bed frame including legs and head Structure	MS Hollow Rectangular / Square Section
Size of Rectangular Hollow section ±1(mm)	50 mm X 25 mm
Size of Square Hollow Section ±1(mm)	38 mm X 38 mm
Size of Circular Hollow Sections ±1(mm)	N.A
Thickness of Hollow Section in Structure (mm)	1.2 mm
Support Panel for placement of mattresses	MS hollow box Square Section
Thickness of support Panel (in mm)	1.0 mm
Over all length of Bed in mm (±10 mm)	2000
Height of Bed in mm (±10 mm)	650.0 (millimeter)
Paint /Finish of MS Parts	Powder Coating
Min Powder/paint coating thickness (Micron)	60 micron
	Structure of Metal bed frame including legs and head Structure Size of Rectangular Hollow section ±1(mm) Size of Square Hollow Section ±1(mm) Size of Circular Hollow Sections ±1(mm) Thickness of Hollow Section in Structure (mm) Support Panel for placement of mattresses Thickness of support Panel (in mm) Over all length of Bed in mm (±10 mm) Height of Bed in mm (±10 mm) Paint /Finish of MS Parts Min Powder/paint coating

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
WARRANTY	Warranty	1 Year
MISC	Number of support members	4

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	90	30

Almirah Steel (V2) (60 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	Type of Almirah steel	Almirah Steel shelving cabinets
	Number of door	2
	Number of drawers required	No Drawer
	Number of shelves	2
	Colour of finish	Prince Grey
MATERIAL	Steel sheet material	Mild steel sheets conforming to grade HR1 of IS 1079:2009 (with latest amendment)
	Sheet rounds and flats	N.A
DIMENSION	Almirah height(excluding the height of pedestal) ± 5 mm	1830 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Almirah width ± 5 mm	900 mm
	Almirah depth ± 5 mm	505 mm
	Side sheet thickness	0.8 mm
	Back sheet thickness	0.8 mm
	Top sheet thickness	0.8 mm
	Bottom sheet thickness	0.8 mm
	Shelves sheet thickness	0.8 mm
	Shelves supporting bracket thickness	1.6 mm
	Hinges sheet thickness	1.25 mm(double folded)
	Hanging rod wall thickness	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Width of stiffener	115 mm
	Stiffener sheet thickness	N.A
	Number of glass sheet fixed	N.A
	Handle size	12 cm
LOCKS AND LOCKING	Steel Almirah lock/locker lock	Six lever lock
ARRANGEMENT	Material of lock	Brass and Steel finish
FINISH	Finish coat with enamels	N.A
	Powder coating	With 50 micron thickness minimum

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	60	30

Dressing Table (45 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Mode of Supply	Knocked Down To Be Assembled At Consignee Site By The Seller
	Design of Dressing table	With drawers and open shelves
	Base of dressing table	Rectangular wooden frame
	Number of side mirror	1 number
MATERIAL and MATERIAL THICKNESS	Material specification	Prelaminated particle board of grade II type III of IS 12823/Latest.both side laminated. outer side laminated with shade matching with top shade and fascia shade and having balancing laminate of 0.5mm thick on other side
	Material thickness of complete body, Fascia and drawer/cupboard	15.0 (millimeter)
	Material thickness for back, partition and drawer /cupboard bottom ± 2mm	15.0 (millimeter)
	Mirror side frame material thickness±2mm	19mm
MISC	Length of side mirror	1070 mm
DIMENSION	Overall height of dressing table ±10mm	1680.0 (millimeter)
	Width of dressing table ±10mm	610.0 (millimeter)
	Depth of dressing table ±10mm	460.0 (millimeter)
	Length of mirror	1070.0 (millimeter)
	Width of mirror	380.0 (millimeter)
	Thickness of mirror	4, 6, 8, 10, 12, 14 Or higher (millimeter)

S	pecification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
WAR	RANTY	Warranty period in number of years	1, 2, 3 Or higher
CER	TIFICATION	Product having BIFMA certification	NO

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	45	30

Chair Office (V2) (70 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL Chair Type		Non-Revolving and Non-Tilting chair without Armrest
REQUIREMENT	Chair frame type	Cantilever
	Armrest type	Moulded armrest continuously fitted with seat bottom to backrest
Seat type		Padded
	Backrest type	Padded
CHAIR FRAME	Frame Material Configuration	One piece
	Frame material	Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment)
SEAT FABRICATION	Seat material	Moulded Plywood
Seat material thickness		40 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Density of Polyurethane foam used in seat (±2 Kg/Cub Meter)	45
	Seat upholstered with	Fabric
	GSM of seat cover (± 3 GSM)	220 GSM
BACKREST	Backrest material	Moulded Plywood
FABRICATION	Density of Polyurethane foam used in Backrest (±2 Kg/Cub Meter)	N.A
	Backrest upholstered with	Mesh Fabric
DIMENSION	Seat Depth (± 5 mm)	480 mm
	Seat Width (± 5 mm)	460 mm
	Seat height from floor surface (± 5 mm)	455 mm
	Backrest width (± 5 mm)	470 mm
	Backrest height from seat (± 5 mm)	580 mm
COLOUR AND FINISH	Paint Type	Ероху
	Polish Type	N.A
	Colour of Paint	Black
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification	Yes
	Test reports to be furnished to buyer on demand	Yes

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	70	30

Executive Table (V2) (45 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Gable end and modesty panel
	The type of Storage provided	One side E.R.U unit
	Keyboard tray	Not provided
	Footrest	Not Provided
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	18 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	18 mm
	Leg Material	NA
	The thickness of the Leg material	NA
DIMENSION	Width of tabletop ±10 mm	1800 mm
	Depth of table ±10 mm	900 mm
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	25 x 25 (mm)
EXTENDED RETURN UNIT	ERU unit consists of	No ERU

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	No Pedestal unit
COLOUR AND FINISH	Table top finish	NA
	Tabletop shade	Peach
	Table /ERU /Pedestal Panel Plain Side	NA
WARRANTY	Warranty period	1 Year
CERTIFICATION	Test reports to be furnished to the buyer on demand	No

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	45	30

Revolving Chair (V3) (45 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
GENERAL REQUIREMENT	Tilt mechanism	Knee tilt Synchronic mechanism	
	Locking mechanism	Any position Locking	
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Adjustable (up and down)	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Backrest type	Tilting type	
MATERIAL AND	Pedestal Base	Nylon	
MATERIAL THICKNESS	Armrest Material	PU molded over metal insert	
	Minimum density of foam used in seat	30 kg per cubic meter	
	Minimum thickness of PU foam used in seat	30 mm	
	Seat upholstery material	Tilting type Nylon PU molded over metal insert 30 kg per cubic meter 30 mm 100 % Polyester fabric Hot pressed plywood PU foam 30 kg per cubic meter 30 mm Mesh fabrics Minimum 200 GSM (for Woven fabric) 450 mm 450 mm	
	Backrest base frame material	Hot pressed plywood	
	Padding at backrest	PU foam	
	The minimum density of foam used in the backrest	30 kg per cubic meter	
	Minimum thickness of PU foam used in backrest	30 mm	
	Backrest upholstery material	Mesh fabrics	
	Upholstery material thickness /fabric substance used in seat /backrest	Minimum 200 GSM (for Woven fabric)	
DIMENSION	Minimum width of seat	450 mm	
	Minimum depth of seat	450 mm	
	Minimum width of backrest	450 mm	
	Backrest height	High back (551 and above)	
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm	
	Minimum pedestal size (diameter)	650 mm	
COLOUR AND FINISH	Upholstered material seat color	Black	
	Upholstered material backrest color	Black	

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	45	30

Executive Table (V2) (45 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Structure /Frame of table	Gable end and modesty panel
	The type of Storage provided	One side pedestal unit
	Keyboard tray	Not provided
	Footrest	Not Provided
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	25 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	25 mm
	Leg Material	NA
	The thickness of the Leg material	NA
DIMENSION	Width of tabletop ±10 mm	1200 mm
	Depth of table ±10 mm	600 mm
	Height of table ±10 mm	750 mm
	Size (L x W) /diameter of leg material ± 5 mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	1 storage unit with shutter

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	One drawer	
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side	
	Tabletop shade	Teak	
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue	
WARRANTY	Warranty period	1 Year	
CERTIFICATION	Test reports to be furnished to the buyer on demand	No	

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	45	30

High End Office Table / Desk Furniture Set / Suit (3 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Warranty periods	1 - Year
MAIN TABLE	Design / Shape	Rectangular
	Under structure of main table	Gable end modesty panel

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Table top material	MDF and venner with PU finish having scratch resistance of 2H	
	Gable end material	Pre-laminated MDF board	
	Modesty panel material	MDF board as per IS: 12406 with pigmented PU coating on both sides	
	Leg material	MDF and venner with PU coating	
	Number of buffer provided	Four numbers at bottom	
	Length of table top ± 20 mm	2100 mm	
	Depth of table top ±10 mm	1200 mm	
	Height of table top ± 10 mm	750 mm	
	Dimension of leg ± 2 mm	NA	
	Thickness of table top ± 2 mm	60 mm	
	Thickness of gable end ± 2 mm	60 mm	
	Thickness of modesty panel ± 1 mm	36 mm	
	Material of keyboard tray and right angle L-Type supporting bracket	N.A	
	Finish of exposed edges of keyboard tray	MDF and venner with PU finish having scratch resistance of 2H	
EXTENDED RETURN	Number of storage unit	4 numbers	
UNIT	Storage with shutter	4 numbers	
	Number of drawers	3 numbers	
	Size of small drawers ± 5 mm	As per size of unit	
	Size of medium drawers ± 5 mm	As per size of unit	
	Number of lockable castors at bottom	4 numbers	
	Size of lockable castors ± 2 mm	N.A	
	Provision of storage lock system	N.A	
	Material of top	MDF and venner with PU finish having scratch resistance of 2H	
	Material of modesty panel	MDF and venner with PU finish having scratch resistance of 2H	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Material of side panel	MDF and venner with PU finish having scratch resistance of 2H
	Thickness of top panel ± 2 mm	36 mm
	Thickness of other panel ± 2 mm	25 mm
	Thickness of drawer base ± 1 mm	10 mm
	Width of unit ± 20 mm	1200 mm
	Depth of unit ± 5 mm	580 mm
	Height of unit ± 5 mm	750 mm
	Overall height of storage unit ± 5 mm	750 mm
PEDESTAL STORAGE	Type of unit	Three drawers
UNIT	Size of drawers ± 2 mm	As per size of unit
	Each drawers fixed with	N.A
	Provision of lock system	N.A
	Material of top panel	N.A
	Material of other panel	N.A
	Thickness of top panel ± 1 mm	25 mm
	Thickness of other panel ± 1 mm	25 mm
	Number of lockable castors at bottom pedestal storage unit	4 numbers
	Size of lockable castors for pedestal storage unit ± 2 mm	N.A
	Width of pedestal unit ± 5 mm	440 mm
	Depth of pedestal unit ± 5 mm	620 mm
	Height of pedestal unit ± 5 mm	635 mm
WOODEN BOOK CASE	Total Number of shelf	4 numbers
	Top panel material	Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest
	Side panel material	Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Shelf material	Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest
	Full Door panel material	Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest
	Upper door panel made up of	Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest
	Lower door panel made up of	Three layer pre-laminated particle board (wood product) of grade -II type 2 of IS 12823/latest
	Thickness of top panel material ± 1 mm	25 mm
	Thickness of side panel material ± 1 mm	25 mm
	Thickness of shelf panel material ± 1 mm	25 mm
	Thickness of door panel (full size) material ± 1 mm	25 mm
	Thickness of upper door panel made up of ± 1 mm	5 mm thick glass
	Thickness of lower panel made up of ± 1 mm	25 mm
	Material for buffer	Rubber
	Width of book case ± 10 mm	1850 mm
	Depth of book case ± 5 mm	450 mm
	Height of book case ± 20 mm	1880 mm
	Size of medium shelf	2 numbers
CERTIFICATION	Product having BIFMA certification	Yes
	OEM of offered product is ISO 9001:2015 certified	Yes
	OEM of offered product is ISO 14001:2015 certified	Yes
	OEM of offered product is ISO 18001:2007/45001:2018 certified	Yes

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	3	30

Revolving Chair (V3) (3 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य		
GENERAL	Tilt mechanism	Tilt working with torsion bar mechanism		
REQUIREMENT	Locking mechanism	Tilt limiter		
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Fixed		
	Backrest type	Tilting type		
MATERIAL AND	Pedestal Base	Wooden cladded with Mild Steel		
MATERIAL THICKNESS	Armrest Material	MS Arms with ABS arm top		
	Minimum density of foam used in seat	30 kg per cubic meter		
	Minimum thickness of PU foam used in seat	30 mm		
	Seat upholstery material	Leatherette		
	Backrest base frame material	Hot pressed plywood		
	Padding at backrest	Memory foam		
	The minimum density of foam used in the backrest	30 kg per cubic meter		
	Minimum thickness of PU foam used in backrest	30 mm		
	Backrest upholstery material	Leatherette		

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Upholstery material thickness /fabric substance used in seat /backrest	0.7 to 1.5 mm (for leather /leatherette)	
DIMENSION	Minimum width of seat	450 mm	
	Minimum depth of seat	450 mm	
	Minimum width of backrest	450 mm	
	Backrest height	High back (551 and above)	
	Minimum thickness of MS Plate Joining the understructure with Seat	3 mm	
	Minimum pedestal size (diameter)	650 mm	
COLOUR AND FINISH	Upholstered material seat color	Brown	
	Upholstered material backrest color	Brown	

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	3	30

Executive Computer Table (15 pieces)

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of Computer Table	Computer table with key board drawer and table top

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिंड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य	
	Construction of Computer/Printer Table	Gable end and modesty panel	
FINISHING AND PACKING	Colour of Top	brown	
MATERIAL	Material of table Three layer prelaminated particle board(V product) of grade II type II of IS 12823/Lat		
	Gable end and Modesty panel material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest	
	Leg Material	NO LEGS	
DIMENSION	Table top thickness ±2mm	12.0 (millimeter)	
	Thickness of gable end and modesty panel ±2mm	15	
	Dimension of leg(mmXmm) ±5mm	No legs	
	Length of table in mm (±15 mm)	1220.0 (millimeter)	
	Depth of table in mm (±10mm)	610.0 (millimeter)	
	Height of table in mm (±10mm)	610.0 (millimeter)	
KEYBOARD TRAY	Type of keyboard tray	Prelaminated particle board keyboard tray	
FOOTREST	Material of footrest	Three layer prelaminated particles board(wood product)conforming to grade II type III of IS 12823/Latest	
	Material thickness of footrest ±2mm	15mm	
WARRANTY	Warranty period in number of years	1, 2, 3, 4, 5 Or higher	
CERTIFICATION	Product having BIFMA certification	NO	
	OEM of offered product is ISO 9001:2015 certified	NO	
	OEM of offered product is ISO 14001:2015 certified	NO	
	OEM of offered product is ISO 18001:2007/45001:2018certi fied	NO	

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Niranjan Singh	792110,Mayu, Roing, Dibang Multi Purpose Project, NHPC Limited	15	30

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

NHPC LIMITED payable at SBI, Roing, (Branch Code 05821)

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

2. Forms of EMD and PBG

Bidders can also submit the EMD with Banker's Cheque in favour of

NHPC LIMITED payable at SBI, Roing, (Branch Code 05821)

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

3. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

NHPC LIMITED payable at SBI, Roing, (Branch Code 05821)

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

4. Generic

Buyer Organization specific Integrity Pact shall have to be complied by all bidders. Bidders shall have to upload scanned copy of signed integrity pact as per Buyer organizations policy along with bid. Click here to view the file

5. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

1. During evaluation and comparison of bids, the purchaser at his discretion, ask the bidder

for clarification/submission of documents/ correction of Format as per bid requirement, with out affecting substance of the bid. The documents submitted by the bidder during clarificati on shall become the integral part of the Contract. However, the submitted documents durin g clarification affecting in any substantial way the scope/ quality/ performance of the servic e/contradicting original document or any material fact, would not be considered.

2. "Since NHPC has a specific format regarding Pre-Contract Integrity Pact, the format of the same is being provided in bid document.

Each bidder is supposed to duly fill, sign (at a date prior to bid submission) & attach the pdf c opy of the NHPC specific format of Pre-Contract Integrity Pact.

During Technical Evaluation, if it is found that same has not been attached by any bidder, in such scenario, respective bidder will be given only one opportunity to furnish duly filled, sign ed (at a date prior to bid submission) pdf copy of the NHPC specific format of Pre-Contract Int egrity Pact."

- **3.** As per Make In India order/guideline of GOI, each bidder has to compulsorily submit MII ce rtificate by OEM with at least following three (03) details:-
- a) (a) (%) percentage of Local (Make in India) content in offered product.
- b) (b) Details of Locations at which value addition (regarding Make In India) has been made.
- c) c(c)Applicable Class i.e. Class-I/II

During Technical Evaluation, if it is found that same has not been:

- i) attached by any bidder Or
- ii) attached in other than desired details,

in such scenario, respective bidder will be given only one opportunity**to furnish the abov e.**

6. Buyer Added Bid Specific ATC

Buyer uploaded ATC document Click here to view the file.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

- 1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
- 2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
- 3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
- 4. Creating BoQ bid for single item.

- 5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
- 6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
- 7. Floating / creation of work contracts as Custom Bids in Services.
- 8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for attached categories, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
- 9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
- 10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
- 11. Creating bid for items from irrelevant categories.
- 12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
- 13. Reference of conditions published on any external site or reference to external documents/clauses.
- 14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---