

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	08-03-2025 18:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	08-03-2025 18:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Power
Department Name/विभाग का नाम	Na
Organisation Name/संगठन का नाम	Nhpc Limited
Office Name/कार्यालय का नाम	Nhpc
क्रेता ईमेल/Buyer Email	buyer152.nl.jk@gembuyer.in
Total Quantity/कुल मात्रा	4136
Item Category/मद केटेगरी	DP-MCB C CURVE, 40A, AC , MCB 16 AMP SINGLE POLE , MCB 20AMP SINGLE POLE , MCB SINGLE POLE,10A 250-240V , MCB 63A TPN, 10KA C CURVE , MCB BOX 12 WAY , TELE CABLE 5 PAIRS CABLE , 2 PAIR UNARMOURD TELEPHONE WIRE , 6A 5-PIN SWITCH SOCKET COMBINED WITH BOX , 16 by 6 AMP SWITCH AND SOCKET COMBINED BOX TYPE , SWITCH 16 AMP,PIANO TYPE , SWITCH 06 A , 230 V PIANO TYPE , ONE WAY , SOCKET 06 A , 5 PIN,230 V , SOCKET 15AMP 16 AMP 3 PIN PIANO TYPE , PVC INSULATION TAPE , PVC INSULATED ALUMINIUM CONDUCTOR UNARMOURD FLAT CABLE, 2 CORE, 6.0 SQ.MM., 1.1 KV GRADE. , COPPER WIRE 1.00 SQMM SINGLE CORE 90 M , PVC INSULATED SINGLE CORE MULTI STRAND COPPER CABLE 1.5 SQ.MM 90 METER per ROLL , PVC INSULATED COPPER WIRE 2.5 SQ MM, SINGLE CORE , PVC CONDUCTOR 4 MM SQ PVC INSULATED COPPER WIRE 4 SQ MM , PVC INSULATED SINGLE CORE MULTI STRAND COPPER CABLE 6.0 SQ.MM , PVC CONDUIT PIPE, SIZE 1, LENGTH- 10 FEET LONG. , PENDENT HOLDER 5AMP , BATTEN HOLDER , DING DONG BELL , MUSICAL BELL MULTI TONE , ELECTRONIC FAN REGULATOR 100W SOCKET TYPE , FAN REGULATOR PIANO TYPE NON MODULAR SWITCH SIZE , CAPACITOR 2.5 MFD , CEILING ROSE , PLUG TOP 16 by 20 AMP, 3 PIN , PLUG TOP 5A by 6A 3 PIN

Bid Details/बिड विवरण	
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	<p>DP-MCB 'C' CURVE, 40A, AC, MCB 16 AMP SINGLE POLE, MCB 20AMP SINGLE POLE, MCB SINGLE POLE,10A 250/240V, MCB 63A TPN, 10KA C CURVE, MCB BOX 12 WAY, TELE CABLE 5 PAIRS CABLE, 2 PAIR UNARMOUD TELEPHONE WIRE, 6A 5-PIN SWITCH SOCKET COMBINED WITH BOX, 16/6 AMP SWITCH AND SOCKET COMBINED (BOX TYPE), SWITCH 16 AMP,PIANO TYPE, SWITCH 06 A , 230 V PIANO TYPE , ONE WAY, SOCKET 06 A , 5 PIN,230 V, SOCKET 15AMP / 16 AMP 3 PIN / PIANO TYPE, PVC INSULATION TAPE, PVC INSULATED CABLE, 2 CORE, 6.0 SQ.MM., 1.1 KV GRADE., COPPER WIRE 1.00 SQMM SINGLE CORE (90 M), PVC INSULATED SINGLE CORE MULTI STRAND COPPER CABLE 1.5 SQ.MM (90 METER/ROLL), PVC INSULATED COPPER WIRE 2.5 SQ MM, SINGLE CORE, PVC CONDUCTOR 4 MM SQ (PVC INSULATED COPPER WIRE 4 SQ MM), PVC INSULATED SINGLE CORE MULTI STRAND COPPER CABLE 6.0 SQ.MM, PVC CONDUIT PIPE, SIZE 1, LENGTH- 10 FEET LONG., PENDENT HOLDER(5AMP), BATTEN HOLDER, DING DONG BELL, MUSICAL BELL MULTI TONE, ELECTRONIC FAN REGULATOR 100W SOCKET TYPE, FAN REGULATOR PIANO TYPE NON MODULAR SWITCH SIZE, CAPACITOR 2.5 MFD, CEILING ROSE, PLUG TOP 16/20 AMP, 3 PIN, PLUG TOP 5A/6A 3 PIN</p>
	<p>Searched String: DP-MCB 'C' CURVE, 40A, AC</p> <p>Temperature Indicator for Transformers - Analog type, Buses (V2), Circuit Breakers for DC Operation, MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Metal Oxide Surge Arresters Without Gaps For A.C. Systems (V2) Conforming to IS 15086 (Part 4)</p> <p>Searched String: MCB 16 AMP SINGLE POLE</p> <p>Octagonal Pole with Single Arm or Double Arm Brackets (V2), modular electrical switches and accessories, Portable sealed rechargeable single cells - Nickel-Cadmium (Rechargeable batteries) as per IS:16048 (Part 1)/IEC:61951-1, Portable Sealed Rechargeable Single Cells - Nickel - Metal Hydride (Rechargeable Batteries) as per IS 16048, 16046, Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Prestressed Concrete Poles for Overhead Power Traction and Telecommunication Lines as per IS 1678, Cap FS Disruptive (JSS), Metal Oxide Gap-less (ZnO) Type Surge Arrestor (BHEL), Sofa Set (Steel Tube), Regulators for Breathing Apparatus (Diving Instruments or Accessories)</p> <p>Searched String: MCB 20AMP SINGLE POLE</p> <p>Octagonal Pole with Single Arm or Double Arm Brackets (V2), MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1), Metal Oxide Gap-less (ZnO) Type Surge Arrestor (BHEL), Cap FS Disruptive (JSS), Precision Height Gauge, Card Board Box for Bio - Medical Waste Collection, Regulators for Breathing Apparatus (Diving Instruments or Accessories), Platform step ladder, Stainless Steel Pole Mounted Stainless Steel Dustbin, Sterile Hypodermic Syringe (V3)</p> <p>Searched String: MCB SINGLE POLE,10A 250/240V</p> <p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947,</p>

Bid Details/As Per	Cap FS Disruptive (JSS), Servo Control Drive - Servo Motor Operated LVC as per IS 9815 (Part 1), DC Regulated Power Supply, Octagonal Pole with Single Arm or Double Arm Brackets (V2)
	<p>Searched String: MCB 63A TPN, 10KA C CURVE</p> <p>Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Sports Abdominal Guard, Circuit Breakers for DC Operation</p> <p>Searched String: MCB BOX 12 WAY</p> <p>Miniature Circuit breaker distribution boards - IS 13032, sutures, Foundry Moulding Boxes of Steel Construction (V2) Conforming to IS 1280, Cap FS Disruptive (JSS), urethral urinary catheters or foley catheter, modular electrical enclosure switch board boxes for modular type accessories, Stapler Pin / Staples (V2), Telephone Junction Box, Resistance Box, Worm Gear Box</p> <p>Searched String: TELE CABLE 5 PAIRS CABLE</p> <p>Category 5 Cable, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Field Telephone Cable (Telecommunication Cable), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, telecommunication cable, Multicore Cable as per IS 694, Cable Organizing Dresser Tool for Telecommunication & Riser Cable, Nylon cable Tie, VGA Cable, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694</p> <p>Searched String: 2 PAIR UNARMOUD TELEPHONE WIRE</p> <p>Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1), Hand Tufted Carpets as per IS 5884, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Nitrile Coated Hand Gloves, AC Static Watthour Meters - Energy Meter (V2) as per IS 13779, Telecommunication Cable - Fully filled (Petroleum Jelly or Absorbent Thixotropic Gel), Dumbbell Rack, Combination of Shower and Eye Wash as per IS 10592, Tapered Bearings as per IS 12102, Telephone Line Cord</p> <p>Searched String: 6A 5-PIN SWITCH SOCKET COMBINED WITH BOX</p> <p>modular electrical switches and accessories, Electrical Box Extension (V2), Electrical Box Extension (V3), Non Sparking Combination Spanners (V2), Flameproof Switch Socket</p> <p>Searched String: 16/6 AMP SWITCH AND SOCKET COMBINED (BOX TYPE)</p> <p>modular electrical switches and accessories, Electrical Box Extension (V3)</p> <p>Searched String: SWITCH 16 AMP,PIANO TYPE</p> <p>Modular Piano Type Domestic Electrical Switches as per IS 3854, modular electrical switches and accessories, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Non - Modular Piano Type Domestic Electrical Switches as per IS 3854, modular electrical enclosure switch board boxes for modular type accessories, Piano Type Modular Domestic Electrical sockets</p>

Bid Details/As per	<p>- IS 1293, Piano Type Modular Domestic Fan Regulator as per IS 11037, Net Camouflage Shrimp Type (Defence), Piano Type Non Modular Domestic Fan Regulator as per IS 11037, Piano Type Non Modular Domestic Electrical sockets</p> <p>- IS 1293</p> <p>Searched String: SWITCH 06 A , 230 V PIANO TYPE , ONE WAY</p> <p>Modular Piano Type Domestic Electrical Switches as per IS 3854</p> <p>Searched String: SOCKET 06 A , 5 PIN,230 V</p> <p>modular electrical switches and accessories, Switch Mode Power Supply (SMPS) as per IS 14886:, Online UPS (V2), Electrical Box Extension (V3), Porcelain Insulators for Overhead Power Lines with a Nominal Voltage up to and Including 1000 V as per IS 1445</p> <p>Searched String: SOCKET 15AMP / 16 AMP 3 PIN / PIANO TYPE</p> <p>modular electrical switches and accessories, Electrical Box Extension (V3)</p> <p>Searched String: PVC INSULATION TAPE</p> <p>Glass Mica Tape-IS :7809, Environmental Chamber, HT Tape, Polyimide Tapes, Insulation Tester, synthetic web equipment improved version, Acoustical insulation, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Flat Cable, Copper Conductor with PVC Insulation and Sheath as per IS 694, Cap FS Disruptive (JSS)</p> <p>Searched String: PVC INSULATED CABLE, 2 CORE, 6.0 SQ.MM., 1.1 KV GRADE.</p> <p>Elastomer Insulated, Textile Braided Cables - IS 9968 (Part 1), XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Drip - Leg Drain, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Cap FS Disruptive (JSS), PVC Aluminium Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694</p> <p>Searched String: COPPER WIRE 1.00 SQMM SINGLE CORE (90 M)</p> <p>PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, Drip - Leg Drain, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Cap FS Disruptive (JSS), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category 01 as per IS 1554 (Part 1),</p>
--------------------	---

Bid Details/Particular	PVC Copper Cable Single and Multi Core Circular Sheathed Cord with Flexible Conductor as per IS 694, Tapered Bearings as per IS 12102, Multicore Cable as per IS 694
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Searched String: PVC INSULATED SINGLE CORE MULTI STRAND COPPER CABLE 1.5 SQ.MM (90 METER/ROLL)</p> <p>PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cord with Flexible Conductor as per IS 694, PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Single Core and Multi Core Circular Sheathed Aluminium Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1)</p> <p>Searched String: PVC INSULATED COPPER WIRE 2.5 SQ MM, SINGLE CORE</p> <p>PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cord with Flexible Conductor as per IS 694, PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694</p> <p>Searched String: PVC CONDUCTOR 4 MM SQ (PVC INSULATED COPPER WIRE 4 SQ MM)</p> <p>XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, PVC Aluminium Cable (Heavy Duty), Working Voltages up to and Including 1100 Volts as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694,</p>

Bid Details/As per IS 1554	PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694
	<p>Searched String: PVC INSULATED SINGLE CORE MULTI STRAND COPPER CABLE 6.0 SQ.MM</p> <p>PVC Insulated Copper Cable Single and Multi - Core Circular Sheathed Cable with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cable with Flexible Conductor as per IS 694, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cord with Flexible Conductor (V2) as per IS 694, PVC Copper Cable Single and Multi Core Circular Sheathed Cord with Flexible Conductor as per IS 694, PVC Copper Cable 1 Core and Multi Core Circular Sheathed Cable with Rigid Conductor as per IS 694, PVC Insulated (Heavy Duty) Electric Cables, Aluminium Conductor as per IS 1554 (Part 1), PVC Insulated Cables, Unsheathed with Rigid Conductor (V2) as per IS 694, PVC Insulated (Heavy Duty) Electric Cables (V2) as per IS 1554 (Part 1), PVC Copper Cable (Heavy Duty), Type C PVC Compound, Category C1 - FR as per IS 1554 (Part 1)</p> <p>Searched String: PVC CONDUIT PIPE, SIZE 1, LENGTH- 10 FEET LONG.</p> <p>shoes school pvc boys girls, Wax Candle as per IS 11359, Chlorinated Polyvinyl Chloride (CPVC) Pipes for Potable Hot and Cold Water Distribution Supplies (V2) as per IS 15778</p> <p>Searched String: PENDENT HOLDER(5AMP)</p> <p>Gouging holder, Desktop Computers, Soldering Clamp Holder, Cap FS Disruptive (JSS), Ryder Needle Holder, Sofas (V2), Tooth brush Holder, Geological compass, Plane Mirror Strip Holder, All in One PC</p> <p>Searched String: BATTEN HOLDER</p> <p>LED Batten, LED Batten with Battery / Invertor, Cap FS Disruptive (JSS), Gouging holder, Dumbbell Rack, Soldering Clamp Holder, Drip - Leg Drain, Ryder Needle Holder, Badge Holders - I Card, Tooth brush Holder</p> <p>Searched String: DING DONG BELL</p> <p>call bell, Bell Metal Craft from Bajali - ODOP, Elecric Bells and Accessories as per IS 2268, Bell Metal Products from Barpeta - ODOP, acoustic stethoscope, Bell Metal Products from Bastar - ODOP, Competition kettle bells, Brass and Bell Metal Products from Nayagarh - ODOP, modular electrical switches and accessories, Wireless Attendant Calling System</p> <p>Searched String: MUSICAL BELL MULTI TONE</p> <p>Desktop Trays or Organizers (V2)</p> <p>Searched String: ELECTRONIC FAN REGULATER 100W SOCKET TYPE</p> <p>modular electrical switches and accessories, Piano Type Non Modular Domestic Fan Regulator as per IS 11037, Piano Type Modular Domestic Fan Regulator as per IS 11037, Laboratory Glassware Bottles (Conical Neck Bottles) as per</p>

Bid Details/बिड विवरण	IS 1388 (Part 2)
	<p>Searched String: FAN REGULATOR PIANO TYPE NON MODULAR SWITCH SIZE</p> <p>Piano Type Non Modular Domestic Fan Regulator as per IS 11037, Piano Type Non Modular Electrical Switch Socket Combination as per IS 3854 and IS 1293, Piano Type Modular Domestic Fan Regulator as per IS 11037, Non - Modular Piano Type Domestic Electrical Switches as per IS 3854, modular electrical switches and accessories, Piano Type Non Modular Domestic Electrical sockets - IS 1293, Modular Piano Type Domestic Electrical Switches as per IS 3854, Electric Pedestal Type Fan and Regulator as per IS 1169</p> <p>Searched String: CAPACITOR 2.5 MFD</p> <p>5-5 Dithiobis -2-2 Nitrobenzoic Acid, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), 5-Sulfosalicylic acid, Cap FS Disruptive (JSS), LED Luminaire (Recessed Luminaire) (V3) Conforming to IS 10322 (Part 5/Section 2), Server, Hexagonal Nuts - Style 1, Chamfered, Unchamfered and Style 2 conforming to IS 1364 Part 3, 4, 5 and 6, Static Protective Relays, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Waste Containers and Accessories - Domestic (V2)</p> <p>Searched String: CEILING ROSE</p> <p>Ceiling rose - IS 371, Air Freshener Liquid, Rose Seeds, Ceiling OT Light, LED Surface Ceiling Light as per IS 10322, Wiper Ceiling Bungie, (Vitreous China) - Shower Rose-IS:2556, Air Freshener Solid and Gel, Ceiling OT Light (V2), Table Fan / Wall Mount Fan / Ceiling Mount Fan as per IS 555</p> <p>Searched String: PLUG TOP 16/20 AMP, 3 PIN</p> <p>Tactical 3 Point Sling Universal as per IS 16725, modular electrical switches and accessories, Electrical Box Extension (V2), Electrical Plug, Connector Mounting Hardware - Multi Plug, Stapler Pin / Staples (V2)</p> <p>Searched String: PLUG TOP 5A/6A 3 PIN</p> <p>Electrical Box Extension (V2), Molded Case Circuit Breakers (MCCB) as per IS / IEC 60947, Cap FS Disruptive (JSS), Connector Mounting Hardware - Multi Plug, Polypropylene Ropes as per IS 5175, modular electrical switches and accessories, Cat 6 Patch cord, Multifunction Machine MFM (V2), Nylon Rope as per IS 4572, Digital Earth Resistance Meter</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • MCB - Miniature Circuit - Breakers for A.C. Operation as per IS / IEC 60898 (Part 1)
BOQ Title/बीओक्यू शीर्षक	Purchase of Miscellaneous Electrical Consumable Items
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes

Bid Details/बिड विवरण	
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria, Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	No
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	MCB 63A TPN, 10KA C CURVE
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	14000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	15

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लभार्थी :

Sewa-II Power Station
NHPC Office Complex, Sector-33, Faridabad ,Haryana-121003
(Nhpc Ltd)

Reserved for Make In India products

Reserved for Make In India products	Yes
-------------------------------------	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Bid reserved for Make In India products: : Procurement under this bid is reserved for purchase from Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. However, eligible micro and small enterprises will be allowed to participate. The minimum local content to qualify as a class 1 local supplier is denoted in the bid document. All bidders must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which the bid is liable to be rejected. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020 . In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of

quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

DP-MCB C CURVE, 40A, AC

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	25	30

MCB 16 AMP SINGLE POLE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	50	30

MCB 20AMP SINGLE POLE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	50	30

MCB SINGLE POLE,10A 250-240V

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	50	30

MCB 63A TPN, 10KA C CURVE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	20	30

MCB BOX 12 WAY

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201, Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	10	30

TELE CABLE 5 PAIRS CABLE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201, Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	3	30

2 PAIR UNARMOURD TELEPHONE WIRE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201, Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	5	30

6A 5-PIN SWITCH SOCKET COMBINED WITH BOX

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	50	30

16 By 6 AMP SWITCH AND SOCKET COMBINED BOX TYPE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	50	30

SWITCH 16 AMP,PIANO TYPE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	172	30

SWITCH 06 A , 230 V PIANO TYPE , ONE WAY

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201, Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	300	30

SOCKET 06 A , 5 PIN, 230 V

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201, Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	100	30

SOCKET 15AMP 16 AMP 3 PIN PIANO TYPE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	200	30

PVC INSULATION TAPE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	500	30

PVC INSULATED ALUMINIUM CONDUCTOR UNARMoured FLAT CABLE, 2 CORE, 6.0 SQ.MM., 1.1 KV GRADE.

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201, Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	20	30

COPPER WIRE 1.00 SQMM SINGLE CORE 90 M

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	10	30

PVC INSULATED SINGLE CORE MULTI STRAND COPPER CABLE 1.5 SQ.MM 90 METER Per ROLL

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	15	30

PVC INSULATED COPPER WIRE 2.5 SQ MM, SINGLE CORE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	1350	30

PVC CONDUCTOR 4 MM SQ PVC INSULATED COPPER WIRE 4 SQ MM

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	10	30

PVC INSULATED SINGLE CORE MULTI STRAND COPPER CABLE 6.0 SQ.MM**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201, Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	6	30

PVC CONDUIT PIPE, SIZE 1, LENGTH- 10 FEET LONG.**(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)****Technical Specifications/तकनीकी विशिष्टियाँ**

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	100	30

PENDENT HOLDER 5AMP

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	85	30

BATTEN HOLDER

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	90	30

DING DONG BELL

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	50	30

MUSICAL BELL MULTI TONE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201, Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	25	30

ELECTRONIC FAN REGULATOR 100W SOCKET TYPE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201, Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	50	30

FAN REGULATOR PIANO TYPE NON MODULAR SWITCH SIZE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201, Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	50	30

CAPACITOR 2.5 MFD

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	400	30

CEILING ROSE

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201,Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	100	30

PLUG TOP 16 By 20 AMP, 3 PIN

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201, Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	100	30

PLUG TOP 5A By 6A 3 PIN

(Minimum 50% Local Content required for qualifying as Class 1 Local Supplier)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Ashok Kumar	184201, Sewa II Power Station, NHPC Limited, Mashka, Tehsil Basohli, Distt. Kathua, Jammu and Kashmir (Post office Khairi-176325 for postal address), KATHUA, 184201	90	30

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 % of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

ELIGIBILITY CRITERIA

- Bids of those Bidders who have not submitted the Earnest Money Deposit shall not be considered for evaluation. However for all the category of bidders (in addition to MSEs and Startups) as mentioned in GeM 4.0 (Version 1.21) dt 18th January 2025 and its subsequent amendments are exemption from submission of Bid Security /EMD.

MSEs who are holding valid Udyam Registration and are manufacturer of the offered Product (Primary Product), must give specific confirmation to this effect at the time of bid submission.

Bidder should submit **Account Payee Demand Draft (DD)/Banker Cheque (BC)** only of requisite amount in favour of: **NHPC Limited**, Payable at Bank: State Bank of India, Branch: Khairi, IFSC Code: BIN0008844 at following address within 5 working days of bid opening, failing which the bid may be treated as incomplete & may lead to rejection of the bid by b

uyer without making any reference to the seller.
Group Senior Manager (P&C)
Sewa-II Power Station
Post office: Khairi
Distt:Chamba-176325(H.P.)

- 2 The Bidder should have supplied at least two similar equipment/ systems of same capacity or higher in previous seven years.

“Similar equipments/system means “Supply of electrical consumables items”.

- 3 The reference date for considering the period for eligibility/ qualification requirements above shall be the last day of the month previous to the one in which tenders are invited.
- 4 Bidder should submit acceptance of Technical Specifications.

4. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

5. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Sewa-II Power Station, NHPC Limited
payable at
SBI Khairi, IFSC Code SBIN0008844

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

6. **Forms of EMD and PBG**

Bidders can also submit the EMD with Banker's Cheque in favour of

Sewa-II Power Station, NHPC Limited
payable at
SBI Khairi, IFSC Code SBIN0008844

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

7. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

Sewa-II Power Station, NHPC Limited
payable at
SBI Khairi, IFSC Code SBIN0008844

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

8. **Purchase Preference (Centre)**

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase

preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

9. Purchase Preference (Centre)

Purchase Preference linked with Local Content (PP-LC) Policy:

The bid clause regarding "Preference to Make In India products" stands modified in this bid and shall be governed by the PPLC Policy No. FP-20013/2/2017-FP-PNG dated 17.11.2020 issued by MoP&NG as amended up to date. Accordingly, bidders with Local Content less than or equal to 20% will be treated as "Non Local Supplier". The prescribed LC shall be applicable on the date of Bid opening. Sanctions on the bidders for false / wrong declaration or not fulfilling the Local Content requirement shall be as per the PPLC policy. Further following additional provisions are added in the certification and verification of local content provision of the Preference to Make in India clause:

- i. In case of foreign bidder, certificate from the statutory auditor or cost auditor of their own office or subsidiary in India giving the percentage of local content is also acceptable. In case office or subsidiary in India does not exist or Indian office/subsidiary is not required to appoint statutory auditor or cost auditor, certificate from practicing cost accountant or practicing chartered accountant giving the percentage of local content is also acceptable.
- ii. Along with Each Invoice: The local content certificate (issued by statutory auditor on behalf of procuring company) shall be submitted along with each invoice raised. However, the % of local content may vary with each invoice while maintaining the overall % of local content for the total work/purchase of the pro-rata local content requirement. In case, it is not satisfied cumulatively in the invoices raised up to that stage, the supplier shall indicate how the local content requirement would be met in the subsequent stages.
- iii. The bidder shall submit an undertaking from the authorized signatory of bidder having the Power of Attorney along with the bid stating the bidder meets the mandatory minimum LC requirement and such undertaking shall become a part of the contract.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.

13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।

---Thank You/धन्यवाद---